According to regulation (EC) No. 1907/2006 (REACH)

# O6044 Shellac, light

Revised	l edition: 29.09.2022	Version: 4.5	Printed: 29.11.202
1.	Identification of the Substance/M	ixture and of the Company/Undertak	ing
1. 1.	Product Identifier		
	Product Name:	Shellac, light	
	Article No.:	O6044	
	UFI:		
1. 2.	Relevant identified Uses of the Substance or	Mixture and Uses advised against	
	Identified uses:	Surface finish, binding agent, glue, food anti-sticking agent) For the coating of food. Food additive E904	additive (coating, glazing
	Uses advised against:		
1. 3.	Dataila of the Suppliar of the Safety Data She	At present we have no details for the use	es advised against.
1. 3.	Details of the Supplier of the Safety Data She	et (Froducenniporter)	
	Company:	Interlabshop BV	
	Address:	Lage Brink 23, 7317BD Apeldoorn, The	Netherlands
	Tel./Fax.:	+3155 521 5016	
	Internet:	www.labshop.nl	
	EMail:	labshop@labshop.nl	
	Importer:		
1. 4.	Emergency No.	112 / 088 755 8000 (Mon-Fri 24/7)	
	Emergency No.:		
1.4.2	Poison Center:		
2.	Hazards Identification		
2. 1.	Classification of the Substance or Mixture Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)		
		This product does not require classificati hazardous according to CLP/GHS.	on and labelling as
	Possible Environmental Effects:		
2. 2.	Label Elements		
	Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)	This product does not require classificati hazardous according to CLP/GHS.	ion and labelling as
	Hazard designation:	Not applicable.	
	Signal word:		
	Hazard designation:		
	Safety designation:		
	Hazardous components for labelling:		next page:

Labshop Chemicals Restoration Art Supplies

Page

1

According to regulation (EC) No. 1907/2006 (REACH)

## O6044 Shellac, light

Revise	d edition: 29.09.2022	Version: 4.5	Page 2 Printed: 29.11.2022		
2. 3.	Other Hazards				
3.	Composition/Information on Ing	redients			
3. 1.	Substance				
3. 2.	Mixture				
	Chemical Characterization:		igin, decolorized and wax-free. n number: 05-2114511069-55-000		
	Information on Components / Hazardo Ingredients:	us			
	Shellac, natural resin	100 %	CAS-Nr: 9000-59-3 EINECS-Nr: 232-549-9 EC-Nr:		
	Additional information:	Shellack complies with the mandatory REACH	the definition of a polymer: exempted from Registration.		
4.	First Aid Measures				
4. 1.	Description of the First Aid Measures				
	General information:	Remove contaminated	Remove contaminated clothes.		
	After inhalation:	No special measures re	No special measures required.		
	After skin contact:	Remove contaminated of water and soap.	clothing. Wash off immediately with plenty		
	After eye contact:	Rinse open eye for seve irritation continue, seek	eral minutes under running water. Should medical advice.		
	After ingestion:	Rinse mouth with plenty	y of water and consult physician.		
4. 2.	Most important Symptoms and Effects, bot	h Acute and Delayed			
	Symptoms:	No further information a	available.		
	Effects:	No further information a	available.		
4. 3.	Indication of any Immediate Medical Attent	ion and special Treatment need	led		
	Treatment:	No further information a	available.		
5.	Fire-Fighting Measures				
5. 1.	Extinguishing Media				
	Suitable extinguishing media:	Foam, carbon dioxide ( jet.	CO2), extinguishing powder, water spray		
		<u>,</u>			

According to regulation (EC) No. 1907/2006 (REACH)

## O6044 Shellac, light

Rovisor	d edition: 29.09.2022	Version: 4.5	Page 3 Printed: 29.11.2022
		Water with full jet.	Filited. 29.11.2022
5. 2.	Special Hazards arising from the Substan	•	
	Special hazards:		
	Special Hazarus.	In case of fire: formation of car	bon oxides.
5. 3.	Advice for Firefighters		
	Protective equipment:		
		No special measures required.	
	Further information:		
		Cool exposed containers with v	
		Contaminated extinguishing wa of according to local regulation	ater and debris should be disposed s.
6.	Accidential Release Measures		
6. 1.	Personal Precautions, Protective Equipm	ent and Emergency Procedures	
	Personal precautions:		
		No special measures required.	
6. 2.	Environmental Precautions		
	Environmental precautions:		
		Prevent contamination of soil, o	drains and surface waters.
6. 3.	Methods and Material for Containment an	d Cleaning Up	
	Methods and material:		
		Take up mechanically and colle disposal.	ect in suitable containers for
6. 4.	Reference to other Sections		
		Protective clothing, see Section	n 8.
7.	Handling and Storage		
7. 1.	Precautions for Safe Handling		
	Instructions on safe handling:		
		Provide good ventilation and/or adequate ventilation. Handle a	r exhaust at the workplace. Ensure
		Avoid contact with eyes and sk	-
		Do not swallow or inhale.	
	Hygienic measures:		
			d drinks. Do not eat, drink or smoke re breaks and at the end of work.
		-	immediately. Store working clothing
7. 2.	Conditions for Safe Storage, including an	y Incompatibilities	
	Storage conditions:		
	-	Store at room temperature.	
		Storage temperature: < 20°C.	
		Store product at a relative air h	-



According to regulation (EC) No. 1907/2006 (REACH)

# O6044 Shellac, light

Body protection:

Reviser	d edition: 29.09.2022	Version: 4.5	Page 4 Printed: 29.11.2022
	containers:		1 miled. 20.11.2022
	contamore.	No special measures necessary.	
	Information on fire and explosion protection:		
	protocilon.	Keep away from sources of heat ar	nd ignition - do not smoke.
	Storage class:		
	, in the second s	13; Non combustible solids (TRGS	510)
	Further Information:		
		Shelf-life: at least 2 years when sto humidity of < 50 %.	red < 20°C and at a relative air
7. 3.	Specific End Use(s)		
	Further information:		
		No information available.	
8.	Exposure Controls/Personal Pro	otection	
8. 1.	Parameters to be Controlled		
	Parameters to be controlled (DE):		
		none known	
	Parameters to be controlled:		
	Derived No-Effect Level (DNEL):		
	Predicted No-Effect Concentration (PNEC):		
	Additional Information:		
8. 2.	Exposure Controls		
	Technical protective measures:		
		Use appropriate local exhaust vent	ilation to control airborne levels.
	Personal Protection		
	General protective measures:		
		Keep away from foodstuffs and drii during work. Wash hands before bi	
	Respiratory protection:		
		Not required.	
	Hand protection:		
		Protective gloves (EN 374)	
	Protective glove material:		
		Butyl rubber (> 480 min; 0.5 mm).	
		Polyvinyl chloride (> 480 min, 0.5 n	
		Fluoro carbon rubber - FKM (> 480 Nitrile rubber (> 480 min, 0.35 mm)	,
	Eye protection:	· · · /	
		Safety glasses with protective shiel	lds (EN 166).
	Body protection:		

According to regulation (EC) No. 1907/2006 (REACH)



# O6044 Shellac, light

Rovice	d edition: 29.09.2022	Version: 4.5	Page Printed: 29.11.202
	น ธนแบท. 23.03.2022	Protective clothing.	Filitieu. 29.11.202
	Environmental precautions:	, , etcourie eleminigi	
		Prevent contamination of open Avoid contamination of ground	water ways and sewage system. water.
9.	Physical and Chemical Prope	erties	
9. 1.	Information on Basic Physical and Che	mical Properties	
	Form:	solid	
	Color:	bright yellow	
	Odor:	odorless	
	Odor threshold:		
		no information available	
	pH-Value:		
		not available	
	Melting temperature:	70 - 90°C	
	Boiling temperature:		
		not determined	
	Flash point:	> 300°C	
	Evaporation rate:	No information available.	
	Flammability (solid, gas):	> 300°C	
	Upper explosion limit:		
		no information available	
	Lower explosion limit:		
		no information available	
	Vapor pressure:		
		not determined	
	Vapor density:		
	_	No information available.	
	Density:	not applicable	
	Solubility in water:	insoluble	
	Coefficient of variation (n-	Insoluble	
	Octanol/Water):		
	And a true 111 of the	not determined	
	Auto-ignition temperature:	not applicable	
	Decomposition temperature:		
	Doompoolion temperature.	No data available.	
	Viscosity, dynamic:		
		not available	

Revised edition: 29.09.2022

According to regulation (EC) No. 1907/2006 (REACH)

## O6044 Shellac, light

	Explosive properties:	Product does not present an explosion hazard.
	Oxidizing properties:	· · ·
		no information available
	Bulk density:	ca. 300 kg/m3
9. 2.	Further Information	
	Solubility in solvents:	
	Viscosity, kinematic:	
	Burning class:	
	Solvent content:	
	Solid content:	
	Particle size:	
	Other information:	
		No further information.
10.	Stability and Reactivity	
10.1.	Reactivity	
40.0	Chamiaal Clability	Stable if used according to specifications.
10.2.	Chemical Stability	Stable if used according to specifications.
10.3.	Possibility of Hazardous Reactions	
	-	Unknown.
10.4.	Conditions to Avoid	
	Conditions to avoid:	
		Avoid temperatures above 60°C: causes blocking respectively sintering of the platelets.
	Thermal decomposition:	
		No further information available.
10.5.	Imcompatible Materials	Strong oxidizing agents.
10.6.	Hazardous Decomposition Products	Strong oxidizing agents.
10.0.	hazardous becomposition i roducts	None if stored and handled according to specifications.
10.7.	Further Information	
11.	Toxicological Information	
11. 1.	Information on Hazard Classes as defined	l in Regulation (EC) No. 1272/2008
	Acute Toxicity	
	LD50, oral:	> 5000 mg/kg (rat)
	LD50, dermal:	> 10000 mg/kg (rabbit)
	LC50, inhalation:	
		No information available.

Version: 4.5

Labshop Chemicals Restoration Art Supplies

Page

Printed: 29.11.2022

6

According to regulation (EC) No. 1907/2006 (REACH)

# O6044 Shellac, light

Revise	d edition: 29.09.2022	Version: 4.5	Page Printed	7 29.11.2022
	Primary effects	V0101011. 4.0	T finted.	20.11.2022
	Irritant effect on skin:			
		Non irritating		
	Irritant effect on eyes:			
		Slight irritant effect		
	Inhalation:			
		Non irritating.		
	Ingestion:	No information available		
	Sensitization	No momation available		
	Sensitization:	Not known.		
	Mutagenicity:			
	matagemety.	No relevant data found.		
	Reproductive toxicity:			
		No information available.		
	Carcinogenicity:			
		No relevant data found.		
	Teratogenicity:			
		No information available.		
	Specific target organ toxicity (STOT):	No relevant data found.		
	Aspiration hazard			
		Not applicable		
11. 2.	Information on other Hazards			
		No further information available.	<u></u>	
		Shellac is an approved food additive (E toxicologically tested accordingly for leg		een
12.	Ecological Information			
12. 1.	Aquatic Toxicity			
	Fish toxicity:			
		No data available.		
	Daphnia toxicity:			
		EC50: > 500 mg/l (24h, Daphnia magna	; OECD 202)	
	Bacteria toxicity:	no information available		
	Algae toxicity:	LC50: > 440 mg/l (72h)		
12. 2.	Persistency and Degradability			
		34 % (28d); biodegradable (OECD 301L	)	
12. 3.	Bioaccumulation			
		No information available.		

According to regulation (EC) No. 1907/2006 (REACH)

# O6044 Shellac, light



			Page 8	
Revised edition: 29.09.2022		Version: 4.5	Printed: 29.11.2022	
12.4.	Mobility			
		No data available.		
12. 5.	Results of PBT- und vPvP Assessment		the second set of the first of the	
		On the basis of available data, the product does not contain any PBT or vPvB substances in percentage greater than 0.1 %.		
12. 6.	Endocrine Disrupting Properties			
	This substance/mixture does not conta to have endocrine disrupting properties Article 57(f) or Commission Delgated R 2017/2100 or Commission Regulaton ( 0.1 % or higher.		properties according to REACH elgated Regulation (EU) No.	
12. 7.	Other Adverse Effects			
	Water hazard class:			
		Do not let product contaminate sewage system.	e ground water, waterways or	
	Behaviour in sewage systems:			
	Further ecological effects:			
		VOC: < 1%		
	AOX Value:			
		Product does not contain any	organically bound halogen.	
13.	Disposal Considerations			
13. 1.	Waste Treatment Methods			
	Product:			
		If product cannot be reused on according to current local regu	r recycled, it has to be disposed of ulations.	
	European Waste Code (EWC):		• • • • • • • •	
			nufacture, formulation, supply and ts, varnishes and vitreous enamels),	
	Uncleaned packaging:			
		Non-contaminated packaging	may be recycled.	
	Waste Code No.:			
14.	Transport Information			
14. 1.	UN Number			
	ADR, IMDG, IATA			
14. 2.	UN Proper Shipping Name			
	ADR/RID:			
		No hazardous goods accordin transportation).	ng to ADR / DOT (US) (land	
	IMDG/IATA:			
		Not hazardous goods		
14. 3.	Transport Hazard Classes			
	ADR Class:			

According to regulation (EC) No. 1907/2006 (REACH)

## O6044 Shellac, light

Revised edition: 29.09.2022		Version: 4.5	Printed: 29.11.2022
		not applicable	
	Hazard no.:		
	Classification code:		
	Tunnel restriction code:		
	IMDG Class (sea):		
		not applicable	
	Hazard no.:		
	EmS No.:		
	IATA Class:		
		not applicable	
	Hazard no.:		
14. 4.	Packaging Group		
	ADR/RID:	nat ann liachta	
		not applicable	
	IMDG:		
44 F			
14. 5.	Environmental Hazards	Not classified as environment	ally hazardous.
14. 6.	Special Precautions for User		
		Not classified as a dangerous	good under transport regulations.
14.7.	Maritime Transport in Bulk according to IMO		
44.0	Fronth on he forms of the se	not applicable	
14. 8.	Further Information	Not classified as a dangerous	good under transport regulations.
15.	Regulatory Information		
15. 1.	Safety, Health and Environmental Regulation	s/Legislation specific for the Substa	ance or Mixture
	Water hazard class:		
		1, slightly hazardous for water Regulation AwSV)	r (according to the German
	Local regulations on chemical accidents	:	
		Does not underlie the Accider	nt Ordinance.
	Employment restrictions:		
	Restriction and prohibition of application	:	
	Technical instructions on air quality:		
15. 2.	Chemical Safety Assessment		
		Shellack complies with the de the mandatory REACH Regis	finition of a polymer: exempted from tration.
		EC SVHC-List: This product of candidate list for substances of Regulation (EC) 1907/2006, A	

Labshop Chemicals Restoration Art Supplies

Page

9

According to regulation (EC) No. 1907/2006 (REACH)

## O6044 Shellac, light

			Page	10
Revise	d edition: 29.09.2022	Version: 4.5	Printed:	29.11.2022
15. 3.	Further Information			
		Listed in the following inventories:		
K		EINECS (EU), TSCA (US), AICS ( KECI (KR), PICCS (PH), IECSC (0 CH		
16.	Other Information			
		This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our pro- from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties		y legal d on the e our product d be