#### Labshop Chemicals Restoration Art Supplies

Revieer	edition: 03.06.2020	Version: 4.2	Page Printed:	1 09.06.2020	
<u>1.</u>		ixture and of the Company/Undert		09.00.2020	
1. 1.	Product Identifier	ixture and of the company/ondert	uking		
	Product Name:	Shellac light, food quality			
	Article No.:	060441			
1. 2.	Relevant identified Uses of the Substance or				
	Identified uses:				
		Surface finish, binding agent, glue, em Food additive E904	nulsifier.		
	Uses advised against:				
1. 3.	Details of the Supplier of the Safety Data She	et (Producer/Importer)			
	Company:	Interlabshop BV			
	Address:	Lage Brink 23, 7317BD Apeldoorn, Th	e Netherlands		
	Tel./Fax.:	+3155 521 5016			
	Internet:	www.labshop.nl			
	EMail:	labshop@labshop.nl			
	Importer:				
1. 4.	Emergency No.				
	Emergency No.:	112 / 088 755 8000 (Mon-Fri 24/7)			
1. 4. 2	Poison Center:				
2.	Hazards Identification				
2. 1.	Classification of the Substance or Mixture				
	Classification according to Regulation				
	(EC) No. 1272/2008 (CLP/GHS)	This product does not require classific hazardous according to CLP/GHS.	ation and labell	ing as	
	Possible Environmental Effects:				
2. 2.	Label Elements				
	Classification according to Regulation				
	(EC) No. 1272/2008 (CLP/GHS)	This product does not require classific hazardous according to CLP/GHS.	ation and labell	ing as	
	Hazard designation:				
		Not applicable.			
	Signal word:				
	Hazard designation:				
	Safety designation:				
	Hazardous components for labelling:				
2. 3.	Other Hazards				
3.	Composition/Information on Ingre	edients			
	Substance		ne	xt page: 2	



Revised	d edition: 03.06.2020	Version: 4.2	Page 2 Printed: 09.06.2020			
3. 1.						
3. 2.	Mixture					
	Chemical Characterization:	Resinous substance of fema	ale Kerria lacca insects, wax free			
	Information on Components / Hazardous Ingredients:					
	Shellac, natural resin	100 %	CAS-Nr: 9000-59-3 EINECS-Nr: 232-549-9 EC-Nr:			
	Additional information:	Shellack complies with the o the mandatory REACH Reg	definition of a polymer: exempted from istration.			
4.	First Aid Measures					
4. 1.	Description of the First Aid Measures					
	General information:	Take affected persons out into the fresh air.				
	After inhalation:	No special measures require	ed.			
	After skin contact:	Wash with soap and rinse with plenty of water.				
	After eye contact:	Rinse open eyes with plenty	of water for at least 15 minutes.			
	After ingestion:	Rinse mouth with water and				
4. 2.	Most important Symptoms and Effects, both A	If symptoms persist, call a p	nysician.			
4. 2.	Symptoms:	cute and Delayed				
	Symptoms.	No further information availa	able.			
	Effects:					
4. 3.	Indication of any Immediate Medical Attention	and special Treatment needed				
	Treatment:					
		No special first-aid measure	es necessary.			
5.	Fire-Fighting Measures					
5. 1.	Extinguishing Media					
	Suitable extinguishing media:	Foam, carbon dioxide (CO2 jet.	), extinguishing powder, water spray			
	Unsuitable extinguishing media:	Water with full jet.				
5. 2.	Special Hazards arising from the Substance o	r Mixture				
	Special hazards:	No special hazards.				



Revise	d edition: 03.06.2020	Version: 4.2	Printed: 09.06.2020
5. 3.	Advice for Firefighters		
	Protective equipment:		
		Wear self-contained respiratory pro	otective device.
		Wear suitable protective clothing.	
	Further information:		
		Cool exposed containers with wate Contaminated extinguishing water	
		of according to local regulations.	
6.	Accidential Release Measures		
6. 1.	Personal Precautions, Protective Equipment	and Emergency Procedures	
	Personal precautions:		
		Wear protective clothing.	
		Avoid formation of dust.	
		Avoid contact with skin and eyes. I	Do not ingest or inhale.
6. 2.	Environmental Precautions		
	Environmental precautions:		
		Prevent contamination of soil, drai	ns and surface waters.
6. 3.	Methods and Material for Containment and (	Cleaning Up	
	Methods and material:		
		Take up mechanically and collect i disposal.	in suitable containers for
6. 4.	Reference to other Sections	uisposai.	
0. 4.		Protective clothing, see Section 8.	
7.	Handling and Storage		
7. 1.	Precautions for Safe Handling		
	Instructions on safe handling:		
	C C	Avoid contact with eyes and skin.	
		Provide adequate ventilation.	
	Hygienic measures:		
		Do not inhale dust. Wash hands be	efore breaks and at the end of
		work. Do not eat or drink during work. Do	o not smoke
7. 2.	Conditions for Safe Storage, including any I	-	
	Storage conditions:	Store in tightly sealed containers ir	n a cool and well ventilated
		location.	
		Do not store together with food stu	
		Protect product from direct sunligh	
		Protect against humidity and water	<u>.</u>
	Requirements for storage areas and containers:		
	containers.	Keep container tightly closed.	
	Information on fire and evaluation	,	
	Information on fire and explosion		next page: 4

Labshop Chemicals Restoration Art Supplies

Page

3

#### Labshop Chemicals Restoration Art Supplies

Revise	d edition: 03.06.2020	Version: 4.2	Page 4 Printed: 09.06.2020
	protection:		
		Do not store together with: foodstuffs, be Do not store together with reducing ager	-
	Storage class:		
		13; Non combustible solids (TRGS 510)	
	Further Information:		
		Shelf-life: at least 2 years when stored < humidity of < 50 %.	20°C and at a relative ai
7.3.	Specific End Use(s)		
	Further information:		
8.	Exposure Controls/Personal Pro	otection	
8. 1.	Parameters to be Controlled		
	Parameters to be controlled (DE):		
		none known	
	Parameters to be controlled:		
	Derived No-Effect Level (DNEL):		
	Predicted No-Effect Concentration (PNEC):		
	Additional Information:		
8. 2.	Exposure Controls		
	Technical protective measures:		
		Provide adequate ventilation/exhaust sy	stem.
	Personal Protection		
	General protective measures:	Keep away from foodstuffs and drinks. L during work. Wash hands before breaks	
	Respiratory protection:		
		Not required.	
	Hand protection:		
		Protective gloves (EN 374)	
	Protective glove material:		
		Butyl rubber (480 min; 0.5 mm). Polyvinyl chloride (> 480 min, 0.5 mm)	
		Fluoro carbon rubber - FKM (480 min; > Nitrile rubber (480 min, 0.35 mm)	0.4 mm).
	Eye protection:		
	2 1	Safety glasses with protective shields (E	N 166).
	Body protection:		
		Protective clothing.	
	Environmental precautions:		
		Do not allow entering sewerage system.	nevt nage: 5



Revised	l edition: 03.06.2020	Version: 4.2	Page	09.06.2	5 020
9.	Physical and Chemical Prope		intou.		
9. 1.	Information on Basic Physical and Che				
	Form:	solid			
	Color:	bright yellow			
	Odor:	weak, characteristic			
	Odor threshold:				
		No information available.			
	pH-Value:				
		not available			
	Melting temperature:	65 - 80°C			
	Boiling temperature:	not available			
	Flash point:	> 300°C			
	Evaporation rate:				
	Evaporation rate.	not applicable			
	Flammability (solid, gas):	> 300°C			
	Upper explosion limit:				
		no information available			
	Lower explosion limit:				
		no information available			
	Vapor pressure:	not applicable			
	Vapor density:				
		No information available.			
	Density:				
	Solubility in water:	insoluble			
	Coefficient of variation (n-				
	Octanol/Water):	not applicable			
	Auto-ignition temperature:				
		No information available.			
	Decomposition temperature:				
		not applicable			
	Viscosity, dynamic:				
	Franks size and a set is so	not applicable			
	Explosive properties:	Product does not present an explosion hazard.			
	Oxidizing properties:	, , , , , , , , , , , , , , , , , , , ,			
	,	no information available			



Deries	d - differen 00.00.0000	Version: 4.2	Page 6
Revise	d edition: 03.06.2020 Bulk density:	ca. 300 kg/m3	Printed: 09.06.2020
9. 2.	Further Information	ca. 500 kg/m3	
•• =•	Solubility in solvents:		
	Viscosity, kinematic:		
	Burning class:		
	Solvent content:		
	Solid content:		
	Particle size:		
	Other information:		
	Other mornation.	No further information.	
10.	Stability and Reactivity		
10.1.	Reactivity		
		Stable if used according to spe	cifications.
10.2.	Chemical Stability	Stable if used according to spe	cifications
10.3.	Possibility of Hazardous Reactions	Stable if used according to spe	
	· · · · · · · · · · · · · · · · · · ·	Risk of explosion. Developmen strong reducing agents.	t of hydrogen after reaction with
10.4.	Conditions to Avoid		
	Conditions to avoid:	Avoid temperatures above 60°0 sintering of the platelets.	C: causes blocking respectively
	Thermal decomposition:		
10.5.	Imcompatible Materials		
		Strong reducing agents.	
10.6.	Hazardous Decomposition Products	None if stored and handled acc	ording to specifications
10.7.	Further Information	None il stored and handled acc	ording to specifications.
11.	Toxicological Information		
11. 1.	Information on Toxicological Effects		
	Acute Toxicity		
	LD50, oral:	> 5000 mg/kg (rat)	
	LD50, dermal:	> 10000 mg/kg (rabbit)	
	LC50, inhalation:		
		No information available.	
	Primary effects		
	Irritant effect on skin:		
	<b>.</b> .	Non irritating (rabbit)	
	Irritant effect on eyes:	May cause a slight irritaiton of e	eyes. next page: 7

# Labshop Chemicals Restoration Art Supplies

Revise	d edition: 03.06.2020	Version: 4.2	Page 7 Printed: 09.06.2020
	Inhalation:		
		Non irritating.	
	Ingestion:		
		No information available	
	Sensitization:		
		Non sensitizing.	
	Mutagenicity:	No mutagenic effects known.	
	Depreductive toxicity:	No mulagenic enecis known.	
	Reproductive toxicity:		
	Carcinogenicity:	No relevant data found.	
	Teratogenicity:		
	reratogemeny.	No information available.	
	Specific target organ toxicity (STOT):		
		No negative effects.	
	Additional toxicological information:		
		When used and handled accordin does not have any harmful effects classification according to latest v Classification Guidelines for Prepa	5. The product is not subject to ersion of the General EU
		Shellac is an approved food addit	ive (E 904).
12.	Ecological Information		
12. 1.	Aquatic Toxicity		
	Fish toxicity:		
		No data available.	
	Daphnia toxicity:	5050; 500 mg// (24h. Danhaia mg	
		EC50: 500 mg/l (24h, Daphnia ma	igna)
	Bacteria toxicity:	No data available.	
	Algae toxicity:		
	, ligae textery.	LC50: > 440 mg/l (72h)	
12. 2.	Persistency and Degradability		
		34 % (28d); biodegradable (OECL	) 301D)
12. 3.	Bioaccumulation		
12. 4.	Makilia	No information available.	
12.4.	Mobility	No information available.	
12. 5.	Results of PBT- und vPvP Assessment		
		Not applicable.	
12. 6.	Other Adverse Effects		
	Water hazard class:		
		1 (German Regulation) (Assessm	ent by list): slightly hazardous.



Revised	d edition: 03.06.2020	Version: 4.2	Page Printed: 09	8 0.06.2020.
	Behaviour in sewage systems:			
	Further ecological effects:			
	AOX Value:			
		Product does not contain any org influence the AOX value of disca		s which
13.	Disposal Considerations			
13. 1.	Waste Treatment Methods			
	Product:			
		In accordance with current regul waste disposal site or incineratio operator and/or with the respons	n plant, after consultation	
	European Waste Code (EWC):			
		080112 - Wastes from the manu use (MFSU) of coatings (paints, sealants and printing inks.		
		080111 - Waste paint and varnis other dangerous substances	h containing organic solv	vents or
	Uncleaned packaging:			
		Contaminated packaging must b	e disposed like the subsi	ance.
	Waste Code No.:			
14.	Transport Information			
14. 1.	UN Number			
	ADR, IMDG, IATA			
14. 2.	UN Proper Shipping Name			
	ADR/RID:		to ADD (land transportati	<b>•</b> • • •
		No hazardous goods according t	o ADR (land transportati	on).
	IMDG/IATA:	No hazardous goods according t	o IMDG.	
14. 3.	Transport Hazard Classes			
	ADR Class:			
		not applicable		
	Hazard no.:			
	Classification code:			
	Tunnel restriction code:			
	IMDG Class (sea):			
	Hazard no.:			
	EmS No.:			
	IATA Class:			
		not applicable		
	Hazard no.:			



			Page	9
Revise	d edition: 03.06.2020	Version: 4.2	Printed:	09.06.2020
14. 4.	Packaging Group			
	ADR/RID:			
		not applicable		
	IMDG:			
	IATA:			
14. 5.	Environmental Hazards			
		Not classified as environmer	ntally hazardous.	
14. 6.	Special Precautions for User	Not allocatified as a democrat	in and under transport re	aulationa
14. 7.	Transportation in Bulk according to Annex II	Not classified as a dangerou	is good under transport re	guiations.
14. /.	Transportation in Burk according to Annex in	not applicable		
14. 8.	Further Information			
15.	Regulatory Information			
15. 1.	Safety, Health and Environmental Regulatior	ns/Legislation specific for the Subs	tance or Mixture	
	Water hazard class:			
		1, slightly hazardous for wate	er (German Regulation)	
	Local regulations on chemical accidents	5.		
	Employment restrictions:			
	Restriction and prohibition of application	ו:		
	Technical instructions on air quality:			
15. 2.	Chemical Safety Assessment			
		A Chemical Safety Assessm	ent is not necessary for t	his product.
15. 3.	Further Information		, <b>.</b>	
		Listed in the following invent EINECS (EU), TSCA (US), A		ICCS (PH)
		KECL (KR), ENCS (JP), NZI CH		
		Data concerning the Directiv emission of volatile organic o		tation of
		VOC Content: < 1 %		
16.	Other Information	<b></b> , , , ,		
		This product should be store with good hygiene practices regulations. This information present state of knowledge a from the point of view of safe therefore not be construed a	and in conformity with an contained herein is base and is intended to describ ety requirements. It should	y legal d on the e our produc d be