



MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006

Printing date: 13.12.2016

Revision date: 12.12.2016

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: **NutriCal CC 450**

Product name: Calcium carbonate
EC No.: 207-439-9
CAS No.: 471-34-1
REACH: exempted from registration according to annex V

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance: Pharmaceuticals, food products

Details of the supplier of the safety data sheet

Calmags GmbH, Stadtkoppel 26, 21337 Lueneburg, Germany
Tel. +49(0)4131 87214-0 Fax +49(0)4131 87214-14
info@calmags.de

Emergency Phone Tel. +49(0)4131 87214-0 (Only available during office hours.)
+49(0)173 9482461

2. Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] not classified as dangerous

Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] void

Other hazards none

Results of PBT and vPvB assessment not applicable

3. Composition / information on ingredients

Formula: CaCO_3
CAS No.: 471-34-1
EC No.: 207-439-9
MG: 100,09 g/mol

4. First aid measures

Description of first aid measures

General information: Remove contaminated, saturated clothing.
In case of inhalation: Provide fresh air.
In case of skin contact: Wash with soap and plenty of water.
In case of eye contact: Rinse opened eye for 10 minutes under running water. In case of eye irritation consult an ophthalmologist.
In case of ingestion: Rinse out mouth and drink plenty of water. If symptoms persist, consult a doctor.

Most important symptoms and effects, both acute and delayed none known

Indication of any immediate medical attention and special treatment needed none

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Coordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

none

Special hazards arising from the substance or mixture

Product itself does not burn.

Advise for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Person-related safety precautions

Provide adequate ventilation. Avoid formation of dust. Wear suitable protective clothing (see section 8).

Measures for environmental protection

No special measures required.

Methods and material for containment and cleaning up

Collect in a suitable container for proper disposal. Rinse area with sufficient water.

Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

7. Handling and storage

Precautions for safe handling

The usual precautionary measures for handling chemicals should be observed. Provide adequate ventilation when dust is generated.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, dry, well-ventilated place.

Keep away from acids.

8. Exposure controls / personal protection

Components with occupational exposure limits requiring monitoring

ACGIH/TLV

10 mg/m³, breathable particles - 10 mg/m³, inhalable particles

Exposure controls

Personal protective equipment

Respiratory protection

Provide for sufficient ventilation. Wear dust mask when dust is generated.

Hand protection:

Protective gloves (acc. to EN 374)

Eye protection:

Safety glasses

Body protection:

Protective work clothing

Hygiene measures:

General hygienic measures. Wash hands before breaks and after work. Change contaminated clothing.

Safety measures:

The usual precautionary measures for handling chemicals should be observed.

9. Physical and chemical properties

Form:	powder
Colour:	white
Odour:	odourless
Boiling temperature / boiling range:	not applicable
Melting point / melting range:	decomposition at 825°C
Flash point:	non flammable
Ignition temperature:	not applicable
Upper explosion limit:	not applicable
Lower explosion limit:	not applicable
pH value:	8,5 – 9,5 (ISO 787-9)
density:	2,7 g/cm ³ (ISO 787-10)
Water solubility:	0,014 g/l (20°C)

10. Stability and reactivity

Reactivity:	inert
Chemical stability:	chemically stable under normal conditions
Possibility of hazardous reactions:	reacts with acids to form CO ₂
Conditions to avoid:	Temperatures above 825°C (decomposition)
Incompatible materials:	acids
Hazardous decomposition products:	carbon dioxide, calcium oxide

11. Toxicological information

Information on toxicological effects

Acute toxicity:

For classification relevant values: LD 50 (oral / rat): 6450 mg/kg

Eye irritation:	may be slightly irritating
Skin irritation:	not irritating
Sensitisation:	not sensitising effects known

12. Ecological information

Ecotoxicity:	not toxic
Persistence and degradability:	not applicable, inorganic substance
Bioaccumulative potential:	no information available
Mobility in soil:	no information available
Results of PBT and vPvB assessment:	not a PBT- or vPvB-substance
Other adverse effects:	With proper handling and use, no ecological problems are to be expected.

Trade name NutriCal CC 450

13. Disposal considerations

Product/Packaging disposal:

Dispose of waste according to local applicable legislation.

Waste code product: no information available

14. Transport information

No dangerous good in sense of transport regulations.

UN number:

ADR, IMDG, IATA: void

UN proper shipping name:

ADR, IMDG, IATA: void

Transport hazard class:

ADR, IMDG, IATA: void

Packing group:

ADR, IMDG, IATA: void

Environmental hazards:

Marine pollutant: no

Special precautions: not applicable

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation:

National regulations

Water hazard class (Germany): Observe in addition any national regulations!
nwg – not hazardous for water (Reg. No. 317, VwVwS)

Chemical Safety Assessment:

A chemical safety assessment has not been carried out.

16. Other information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information can not be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Abbreviations and acronyms:

CLP:	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
EC No:	registration number of the European Inventory of Existing Chemical Substances
LD50:	lethal dose, 50 percent
PBT:	persistent, bioaccumulative and toxic
vPvB:	very persistent and very bioaccumulative
ACGIH/TLV:	American Conference of Governmental Industrial Hygienists / Threshold Limit Value
ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods
IATA:	International Air Transport Association
VwVwS:	Verwaltungsvorschrift wassergefährdender Stoffe

COMPANY INFORMATION DISTRIBUTOR		
name	BRENNTAG N.V.	BRENNTAG Nederland B.V.
address	Nijverheidslaan 38 8540 Deerlijk	Donker Duyvisweg 44 3316 BM Dordrecht
country	Belgium	The Netherlands
phone number	+32 (0)56 77 69 44	+31 (0)78 65 44 944
fax number	+32 (0)56 77 57 11	+31 (0)78 65 44 919
website	www.brenntag.be	www.brenntag.nl
e-mail	info@brenntag.be	info@brenntag.nl
activities	Distribution and export of chemicals and raw materials	
VAT number	BE0405317567	NL001375945B01
recall procedure available	Yes	
emergency number (24/365)	+32 (0)56 77 69 44	+31 (0)78 6544 944
QUALITY SYSTEMS		
ISO 9001	Yes	Yes
ISO 14001	Yes	Yes
ISO 22000	Yes	Yes
FSSC 22000	Yes	Yes
GMP+ -feed	Yes	Yes
OHSAS18001	-	Yes
ESAD	Yes	Yes
other	-	AEO