

O67380 Plexigum® PQ 611

Page 1

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

1. Identification of the Substance/Mixture and of the Company/Undertaking**1.1. Product Identifier***Product Name:* Plexigum® PQ 611*Article No.:* O67380**1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against***Identified uses:**Binding agent for aliphates soluble varnishes.**Uses advised against:***1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)***Company:* Interlabshop BV*Address:* Lage Brink 23, 7317BD Apeldoorn, The Netherlands*Tel./Fax.:* +3155 521 5016*Internet:* www.labshop.nl*E-Mail:* labshop@labshop.nl*Importer:* --**1.4. Emergency No.**

112 / 088 755 8000 (Mon-Fri 24/7)

*Emergency No.:***1.4.2 Poison Center:****2. Hazards Identification****2.1. Classification of the Substance or Mixture***Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)**This product does not require classification and labelling as hazardous according to CLP/GHS.**Possible Environmental Effects:***2.2. Label Elements***Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)**Hazard designation:* Not applicable.*Signal word:**Hazard designation:**Safety designation:**Hazardous components for labelling:**Contains Isobutylmethacrylate, 2-Ethylhexyl methacrylate. Can cause allergic reactions.***2.3. Other Hazards***Organic substances in powder form may have the potential to cause dust explosions.***Composition/Information on Ingredients**

next page: 2

O67380 Plexigum® PQ 611

Page 2

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

3.**3.1. Substance****3.2. Mixture**

Chemical Characterization: Isobutyl methacrylate solution of an acrylic polymer.
Acrylic copolymer: > 97 %

Information on Components / Hazardous Ingredients:

Additional information:

4. First Aid Measures**4.1. Description of the First Aid Measures**

General information:

Seek medical attention in case of complaints.

After inhalation:

Supply fresh air and seek medical advice in case of complaints.

After skin contact:

*Wash off with plenty of water.
In case of skin irritation consult physician.*

After eye contact:

Rinse open eye for several minutes under running water. Should irritation continue, seek medical advice.

After ingestion:

If symptoms persist consult physician.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

No further information available.

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

5. Fire-Fighting Measures**5.1. Extinguishing Media**

Suitable extinguishing media:

Foam, carbon dioxide (CO₂), extinguishing powder, water spray jet.

Unsuitable extinguishing media:

Water with full jet.

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: formation of carbon oxides and organic decomposition products.

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

O67380 Plexigum® PQ 611

Page 3

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

Dust can form explosive mixtures with air.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Avoid formation of dust, wear protective clothing.

Respiratory protection in case of formation of vapors/dust/aerosol.

Floor may be slippery; use care to avoid falling.

6.2. Environmental Precautions

Environmental precautions:

Prevent contamination of soils, drains and surface water.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Take up mechanically.

Dispose of contaminated material as waste according to section 13.

6.4. Reference to other Sections

Protective clothing, see Section 8.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Provide good ventilation and/or exhaust at the workplace. Ensure adequate ventilation. Handle and open container with care.

Avoid formation of dust.

Hygienic measures:

Avoid contact with eyes and skin.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in a cool and dry place.

Requirements for storage areas and containers:

Store the product in the original container.

Keep container tightly closed.

Information on fire and explosion protection:

Dust may form an explosive mixture with air.

Take measures to prevent electrostatic discharge.

Cool exposed containers with water.

Storage class:

11; Combustible solids (TRGS 510)

next page: 4

O67380 Plexigum® PQ 611

Page 4

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

*Further Information:***7.3. Specific End Use(s)***Further information:**No information available.*

8. Exposure Controls/Personal Protection**8.1. Parameters to be Controlled***Parameters to be controlled (DE):**TRGS 900**TLV: 10 mg/m³ inhalable fraction (general dust limit)**TLV: 1.25 mg/m³ air-borne fraction (general dust limit)**TWA-Value: 4 mg/m³ inhalable fraction (general dust limit)**TWA-Value: 0.3 mg/m³ airborne fraction (general dust limit)**Parameters to be controlled:**Derived No-Effect Level (DNEL):**No values available.**Predicted No-Effect Concentration (PNEC):**No values available.**Additional Information:***8.2. Exposure Controls***Technical protective measures:**Adequate ventilation to control airborne concentrations below the exposure limits.**Personal Protection**General protective measures:**The usual precautionary measures are to be adhered to when handling chemicals.**Do not inhale dust/fumes/mist.**Avoid contact with eyes and skin.**Preventive skin protection by applying protective cream.**Respiratory protection:**Dust mask (particle filter P1; EN 143) .**Hand protection:**Protective gloves (EN 388).**Protective gloves should be changed regularly, especially after intensive contact with the product.**Protective glove material:**Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers.**Eye protection:**Safety glasses (EN 166)**Body protection:*

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

O67380 Plexigum® PQ 611

Page 5

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

Protective clothing.

Environmental precautions:

No special measures required.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

<i>Form:</i>	<i>granules</i>
<i>Color:</i>	<i>clear</i>
<i>Odor:</i>	<i>weak, characteristic</i>
<i>Odor threshold:</i>	<i>No information available.</i>
<i>pH-Value:</i>	<i>not available</i>
<i>Melting temperature:</i>	<i>ca. 40°C (Softening temperature)</i>
<i>Boiling temperature:</i>	<i>not determined</i>
<i>Flash point:</i>	<i>> 250°C (ASTM D1929-68)</i>
<i>Evaporation rate:</i>	<i>not applicable</i>
<i>Flammability (solid, gas):</i>	<i>> 400°C</i>
<i>Upper explosion limit:</i>	<i>no information available</i>
<i>Lower explosion limit:</i>	<i>no information available</i>
<i>Vapor pressure:</i>	<i>not applicable</i>
<i>Vapor density:</i>	<i>No information available.</i>
<i>Density:</i>	<i>1.04 g/cm³ (20°C)</i>
<i>Solubility in water:</i>	<i>insoluble</i>
<i>Coefficient of variation (n-Octanol/Water):</i>	<i>not applicable</i>
<i>Auto-ignition temperature:</i>	<i>No information available.</i>
<i>Decomposition temperature:</i>	<i>No decomposition if used according to specifications. Depolymerization begins at 250°C.</i>
<i>Viscosity, dynamic:</i>	<i>not applicable</i>

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

O67380 Plexigum® PQ 611

Page 6

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

Explosive properties:

The risk of dust explosion is generally possible with organic solids.

Oxidizing properties:

no information available

Bulk density:

not determined

9.2. Further Information

Solubility in solvents:

Soluble in esters, ketones and chlorinated hydrocarbons.

Viscosity, kinematic

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

Not sensitive to impact.

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

No decomposition if used according to specifications.

10.3. Possibility of Hazardous Reactions

None if handled and stored according to specifications.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid formation of dust.

Thermal decomposition:

Depolymerisation starts at 250°C.

10.5. Incompatible Materials

Oxidizing agents.

10.6. Hazardous Decomposition Products

Thermal decomposition may yield combustible vapors (mainly consisting of isobutyl methacrylate and 2-ethylhexyl methacrylate) which irritate the eyes and respiratory organs.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

No information available.

LD50, oral:

LD50, dermal:

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

O67380 Plexigum® PQ 611

Page 7

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

LC50, inhalation:

Primary effects

Irritant effect on skin:

No information available

Irritant effect on eyes:

No information available.

Inhalation:

No information available.

Ingestion:

No information available

Sensitization:

No sensitizing effects known.

Mutagenicity:

No mutagenic effects observed.

Reproductive toxicity:

No reproductive toxicity expected.

Carcinogenicity:

No negative effects.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

Repeated exposure: no information available.

Single exposure: no information available.

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects. The product is not subject to classification according to latest version of the General EU Classification Guidelines for Preparations.

The fine dust particles contained by the product may irritate skin, eyes and mucous membrane.

12. Ecological Information

12.1. Aquatic Toxicity

No toxicity expected.

Fish toxicity:

Daphnia toxicity:

Bacteria toxicity:

Algae toxicity:

12.2. Persistency and Degradability

No information available.

12.3. Bioaccumulation

No information available.

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

O67380 Plexigum® PQ 611

Page 8

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

12.4. Mobility

No information available.

12.5. Results of PBT- und vPvP Assessment

On the basis of available data, the product does not contain and PBT or vPvB in percentage greater than 0.1 %.

12.6. Other Adverse Effects

Water hazard class:

Not hazardous.

Do not let product contaminate ground water, waterways or sewage system.

Behaviour in sewage systems:

Further ecological effects:

No ecological problems expected.

AOX Value:

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

The waste is not hazardous.

Dispose of according to official national and local regulations.

European Waste Code (EWC):

Uncleaned packaging:

Uncontaminated packaging may be recycled. Completely empty packaging can be disposed of with the regular waste.

Unclean packaging may be disposed of in the same manner as the product.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

O67380 Plexigum® PQ 611

Page 9

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

None

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not applicable

14.8. Further Information

Not classified as a dangerous good under transport regulations.

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

0, not hazardous (German Regulation, Assessment by list)

Local regulations on chemical accidents:

Seveso III Directive: not applicable under Directive 2012/18/EC.

Employment restrictions:

The employment restrictions for expectant and nursing mothers, and for young workers are to be observed.

Restriction and prohibition of application:

Technical instructions on air quality: 5.2.1

15.2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

15.3. Further Information

Listed in the following inventories:

EINECS (EU), TSCA (USA), KECI (KR), IECSC (CN)

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.