

UREA 46% N PRILLS

Product code: MS17020

Date of issue: 18/11/2013

Replaces: 22/07/11

FORMULA : CO(NH₂)₂

(CAS : 57-13-6 / EINECS : 200-315-5)

PHYSICAL PROPERTIES

| | | | |
|--|-------------|------|------|
| pH-value (20°C, 10% solution in water) | : max. | 10,0 | |
| Sieve analysis 1,0 – 3,0 mm | : min. | 92,0 | % wt |
| < 0,2 mm | : max. | 0,5 | % wt |
| Bulk density | : 720 – 760 | | g/l |

CHEMICAL ANALYSIS

| | | | |
|--------------------------|-------------|-------|------|
| Total nitrogen | : min. | 46,0 | % wt |
| Biuret | : max. | 1,0 | % wt |
| Moisture | : max. | 0,3 | % wt |
| Formaldehyde | : max. | 100,0 | ppm |
| Insolubles in water | : max. | 0,02 | % wt |
| Total ammonia | : max. | 100,0 | ppm |
| Methylolurea equivalents | : 0,2 – 0,4 | | % wt |

PACKING

Can be obtained in bags, Bigbags and bulk.
Other packing available on request.

SAFETY REGULATION

The safety data sheet is available on request.

Information in this publication is believed to be accurate and is given in good faith, but it is for the customer to satisfy itself of the suitability for its own particular purpose.
No representation, warranty or guarantee is made as to its accuracy, reliability or completeness.

| COMPANY INFORMATION DISTRIBUTOR | | |
|--|--|--|
| name | BRENNTAG N.V. | BRENNTAG Nederland B.V. |
| address | Nijverheidslaan 38 8540 Deerlijk | Donker Duyvisweg 44 3316 BM Dordrecht |
| country | Belgium | The Netherlands |
| phone number | +32 (0)56 77 69 44 | +31 (0)78 65 44 944 |
| fax number | +32 (0)56 77 57 11 | +31 (0)78 65 44 919 |
| website | www.brenntag.be | www.brenntag.nl |
| e-mail | info@brenntag.be | info@brenntag.nl |
| activities | Distribution and export of chemicals and raw materials | |
| VAT number | BE0405317567 | NL001375945B01 |
| recall procedure available | Yes | |
| emergency number (24/365) | +32 (0)56 77 69 44 | +31 (0)78 6544 944 |
| QUALITY SYSTEMS | | |
| ISO 9001 | Yes | Yes |
| ISO 14001 | Yes | Yes |
| ISO 22000 | Yes | Yes |
| FSSC 22000 | Yes | Yes |
| GMP+ -feed | Yes | Yes |
| OHSAS18001 | - | Yes |
| ESAD | Yes | Yes |
| other | - | AEO |