



CERTIFICATE OF ANALYSIS
80030634

80030634 1 (2)

Customer's reference
75316176

08.03.2019
Order no. / date
1000027449
06.02.2019

Customer
Zijderlaan bv
Mosquittostraat 7
4651 ST STEENBERGEN
NETHERLANDS

75316176
15934500
NL02070602

Description
SODIUM ACETATE AG PH SBAG 20KG

Cust. No.:
15934500

Code
50310

Gross Weight
2.783,700 KG

Net Weight
2.700,000 KG

Batch
2000059229

Manufacturing date
24.02.2019

Expiration date
24.02.2022

Characteristic	Result	Specification	Unit
Assay	101,0	99,0 - 101,0	%(m)
Heavy Metals (as Pb)	< 2	<= 2	ppm
Insoluble in water	< 200	<= 200	ppm
pH of 1% solution	8,6	8,0 - 9,0	
Sulphate	< 50	<= 50	ppm
Water	< 0,0	<= 0,5	%(m)
Chloride	< 80	<= 200	ppm
Appearance	White agglomerate	White agglomerate	

Remarks:

This Certificate of Analysis is based on batch specific analysis. Parameters marked with * are not tested for every batch, but these are tested periodically. All our raw materials are obtained from only approved suppliers and match with our raw material specifications according to our ISO 9001 quality management system. Representative samples of each batch are retained for three years and the analysis results of each batch are archived for 10 years. Each sales order is directly linked to (a) batch number(s).

This CoA is only valid when the product is in its original undamaged packaging and when stored under the recommended conditions.

This Certificate of Analysis has been approved electronically and is valid without a signature.

Niacet b.v.
Papesteeg 91, 4006 WC Tiel
P.O.Box 60, 4000 AB Tiel
The Netherlands

Tel. +31 344 615 224
Fax +31 344 611 475
tiel@niacet.nl
www.niacet.com

IBAN NL61BOFA0266533965
Trade register Tiel
Registration no. 11044303
VAT NL807461817B01



CERTIFICATE OF ANALYSIS
80030634

80030634 2 (2)

Customer's reference
75316176

08.03.2019
Order no. / date
1000027449
06.02.2019

Approved by:
Teamleader Laboratory
Niacet b.v.
H. van den Hurk

Printing date:
08.03.2019