

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 1

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

## 1. Identification of the Substance/Mixture and of the Company/Undertaking

### 1.1. Product Identifier

*Product Name:* Plexigum® PQ 611

*Article No.:* 67380

### 1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

*Identified uses:*

*Binding agent for aliphates soluble varnishes.*

*Uses advised against:*

### 1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

*Company:* Interlabshop B.V.

*Address:* Lage Brink 23, 7317 BD Apeldoorn The Netherlands

*Tel./Fax.:* Tel. +3155-5215016

*Internet:* www.Labshop.nl

*EMail:* labshop@labshop.nl

*Importer:* --

1.4. *Emergency No.:* --

*Emergency No.:* --

### 1.4.2. Poison Center:

---

## 2. Hazards Identification

### 2.1. Classification of the Substance or Mixture

*Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)*

*This product does not require classification and labelling as hazardous according to CLP/GHS.*

*Possible Environmental Effects:*

### 2.2. Label Elements

*Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)*

*Hazard designation:*

*Not applicable.*

*Signal word:*

*Hazard designation:*

*Safety designation:*

*Hazardous components for labelling:*

*Contains Isobutylmethacrylate, 2-Ethylhexyl methacrylate. Can cause allergic reactions.*

### 2.3. Other Hazards

*Organic substances in powder form may have the potential to cause dust explosions.*

---

## Composition/Information on Ingredients

next page: 2

## Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 2

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

### 3.

#### 3.1. Substance

#### 3.2. Mixture

*Chemical Characterization:* Isobutyl methacrylate solution of an acrylic polymer.  
Acrylic copolymer: > 97 %

*Information on Components / Hazardous Ingredients:*

*Additional information:*

---

### 4. First Aid Measures

#### 4.1. Description of the First Aid Measures

*General information:*

*Seek medical attention in case of complaints.*

*After inhalation:*

*Supply fresh air and seek medical advice in case of complaints.*

*After skin contact:*

*Wash off with plenty of water.  
In case of skin irritation consult physician.*

*After eye contact:*

*Rinse open eye for several minutes under running water. Should irritation continue, seek medical advice.*

*After ingestion:*

*If symptoms persist consult physician.*

#### 4.2. Most important Symptoms and Effects, both Acute and Delayed

*Symptoms:*

*No further information available.*

*Effects:*

*No further information available.*

#### 4.3. Indication of any Immediate Medical Attention and special Treatment needed

*Treatment:*

*Treat symptomatically.*

---

### 5. Fire-Fighting Measures

#### 5.1. Extinguishing Media

*Suitable extinguishing media:*

*Foam, carbon dioxide (CO<sub>2</sub>), extinguishing powder, water spray jet.*

*Unsuitable extinguishing media:*

*Water with full jet.*

#### 5.2. Special Hazards arising from the Substance or Mixture

*Special hazards:*

*In case of fire: formation of carbon oxides and organic decomposition products.*

next page: 3

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 3

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

*Dust can form explosive mixtures with air.*

**5.3. Advice for Firefighters**

*Protective equipment:*

*Wear self-contained respiratory protective device.*

*Further information:*

---

**6. Accidental Release Measures**

**6.1. Personal Precautions, Protective Equipment and Emergency Procedures**

*Personal precautions:*

*Avoid formation of dust, wear protective clothing.  
Respiratory protection in case of formation of vapors/dust/aerosol.  
Floor may be slippery; use care to avoid falling.*

**6.2. Environmental Precautions**

*Environmental precautions:*

*Prevent contamination of soils, drains and surface water.*

**6.3. Methods and Material for Containment and Cleaning Up**

*Methods and material:*

*Take up mechanically.  
Dispose of contaminated material as waste according to section 13.*

**6.4. Reference to other Sections**

*Protective clothing, see Section 8.*

---

**7. Handling and Storage**

**7.1. Precautions for Safe Handling**

*Instructions on safe handling:*

*Provide good ventilation and/or exhaust at the workplace. Ensure adequate ventilation. Handle and open container with care.  
Avoid formation of dust.*

*Hygienic measures:*

*Avoid contact with eyes and skin.*

**7.2. Conditions for Safe Storage, including any Incompatibilities**

*Storage conditions:*

*Store in a cool and dry place.*

*Requirements for storage areas and containers:*

*Store the product in the original container.  
Keep container tightly closed.*

*Information on fire and explosion protection:*

*Dust may form an explosive mixture with air.  
Take measures to prevent electrostatic discharge.  
Cool exposed containers with water.*

*Storage class:*

*11; Combustible solids (TRGS 510)*

next page: 4

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 4

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

*Further Information:*

**7.3. Specific End Use(s)**

*Further information:*

*No information available.*

---

**8. Exposure Controls/Personal Protection**

**8.1. Parameters to be Controlled**

*Parameters to be controlled (DE):*

*TRGS 900*

*TLV: 10 mg/m<sup>3</sup> inhalable fraction (general dust limit)*

*TLV: 1.25 mg/m<sup>3</sup> air-borne fraction (general dust limit)*

*TWA-Value: 4 mg/m<sup>3</sup> inhalable fraction (general dust limit)*

*TWA-Value: 0.3 mg/m<sup>3</sup> airborne fraction (general dust limit)*

*Parameters to be controlled:*

*Derived No-Effect Level (DNEL):*

*No values available.*

*Predicted No-Effect Concentration (PNEC):*

*No values available.*

*Additional Information:*

**8.2. Exposure Controls**

*Technical protective measures:*

*Adequate ventilation to control airborne concentrations below the exposure limits.*

*Personal Protection*

*General protective measures:*

*The usual precautionary measures are to be adhered to when handling chemicals.*

*Do not inhale dust/fumes/mist.*

*Avoid contact with eyes and skin.*

*Preventive skin protection by applying protective cream.*

*Respiratory protection:*

*Dust mask (particle filter P1; EN 143) .*

*Hand protection:*

*Protective gloves (EN 388).*

*Protective gloves should be changed regularly, especially after intensive contact with the product.*

*Protective glove material:*

*Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers.*

*Eye protection:*

*Safety glasses (EN 166)*

*Body protection:*

next page: 5

## Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 5

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

*Protective clothing.*

*Environmental precautions:*

*No special measures required.*

---

## 9. Physical and Chemical Properties

### 9.1. Information on Basic Physical and Chemical Properties

<i>Form:</i>	<i>granules</i>
<i>Color:</i>	<i>clear</i>
<i>Odor:</i>	<i>weak, characteristic</i>
<i>Odor threshold:</i>	<i>No information available.</i>
<i>pH-Value:</i>	<i>not available</i>
<i>Melting temperature:</i>	<i>ca. 40°C (Softening temperature)</i>
<i>Boiling temperature:</i>	<i>not determined</i>
<i>Flash point:</i>	<i>&gt; 250°C (ASTM D1929-68)</i>
<i>Evaporation rate:</i>	<i>not applicable</i>
<i>Flammability (solid, gas):</i>	<i>&gt; 400°C</i>
<i>Upper explosion limit:</i>	<i>no information available</i>
<i>Lower explosion limit:</i>	<i>no information available</i>
<i>Vapor pressure:</i>	<i>not applicable</i>
<i>Vapor density:</i>	<i>No information available.</i>
<i>Density:</i>	<i>1.04 g/cm<sup>3</sup> (20°C)</i>
<i>Solubility in water:</i>	<i>insoluble</i>
<i>Coefficient of variation (n-Octanol/Water):</i>	<i>not applicable</i>
<i>Auto-ignition temperature:</i>	<i>No information available.</i>
<i>Decomposition temperature:</i>	<i>No decomposition if used according to specifications. Depolymerization begins at 250°C.</i>
<i>Viscosity, dynamic:</i>	<i>not applicable</i>

next page: 6

## Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 6

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

*Explosive properties:*

*The risk of dust explosion is generally possible with organic solids.*

*Oxidizing properties:*

*no information available*

*Bulk density:*

*not determined*

### 9.2. Further Information

*Solubility in solvents:*

*Soluble in esters, ketones and chlorinated hydrocarbons.*

*Viscosity, kinematic*

*Burning class:*

*Solvent content:*

*Solid content:*

*Particle size:*

*Other information:*

*Not sensitive to impact.*

---

## 10. Stability and Reactivity

### 10.1. Reactivity

*Stable if used according to specifications.*

### 10.2. Chemical Stability

*No decomposition if used according to specifications.*

### 10.3. Possibility of Hazardous Reactions

*None if handled and stored according to specifications.*

### 10.4. Conditions to Avoid

*Conditions to avoid:*

*Avoid formation of dust.*

*Thermal decomposition:*

*Depolymerisation starts at 250°C.*

### 10.5. Incompatible Materials

*Oxidizing agents.*

### 10.6. Hazardous Decomposition Products

*Thermal decomposition may yield combustible vapors (mainly consisting of isobutyl methacrylate and 2-ethylhexyl methacrylate) which irritate the eyes and respiratory organs.*

### 10.7. Further Information

---

## 11. Toxicological Information

### 11.1. Information on Toxicological Effects

*Acute Toxicity*

*No information available.*

*LD50, oral:*

*LD50, dermal:*

next page: 7

## Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 7

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

*LC50, inhalation:*

*Primary effects*

*Irritant effect on skin:*

*No information available*

*Irritant effect on eyes:*

*No information available.*

*Inhalation:*

*No information available.*

*Ingestion:*

*No information available*

*Sensitization:*

*No sensitizing effects known.*

*Mutagenicity:*

*No mutagenic effects observed.*

*Reproductive toxicity:*

*No reproductive toxicity expected.*

*Carcinogenicity:*

*No negative effects.*

*Teratogenicity:*

*No information available.*

*Specific target organ toxicity (STOT):*

*Repeated exposure: no information available.*

*Single exposure: no information available.*

*Additional toxicological information:*

*When used and handled according to specifications, the product does not have any harmful effects. The product is not subject to classification according to latest version of the General EU Classification Guidelines for Preparations.*

*The fine dust particles contained by the product may irritate skin, eyes and mucous membrane.*

---

## 12. Ecological Information

### 12.1. Aquatic Toxicity

*No toxicity expected.*

*Fish toxicity:*

*Daphnia toxicity:*

*Bacteria toxicity:*

*Algae toxicity:*

### 12.2. Persistency and Degradability

*No information available.*

### 12.3. Bioaccumulation

*No information available.*

next page: 8

## Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 8

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

### 12.4. Mobility

*No information available.*

### 12.5. Results of PBT- und vPvP Assessment

*On the basis of available data, the product does not contain and PBT or vPvB in percentage greater than 0.1 %.*

### 12.6. Other Adverse Effects

*Water hazard class:*

*Not hazardous.*

*Do not let product contaminate ground water, waterways or sewage system.*

*Behaviour in sewage systems:*

*Further ecological effects:*

*No ecological problems expected.*

*AOX Value:*

---

## 13. Disposal Considerations

### 13.1. Waste Treatment Methods

*Product:*

*The waste is not hazardous.*

*Dispose of according to official national and local regulations.*

*European Waste Code (EWC):*

*Uncleaned packaging:*

*Uncontaminated packaging may be recycled. Completely empty packaging can be disposed of with the regular waste.*

*Unclean packaging may be disposed of in the same manner as the product.*

*Waste Code No.:*

---

## 14. Transport Information

### 14.1. UN Number

*ADR, IMDG, IATA*

### 14.2. UN Proper Shipping Name

*ADR/RID:*

*No hazardous goods according to ADR (land transportation).*

*IMDG/IATA:*

*No hazardous goods according to IMDG.*

### 14.3. Transport Hazard Classes

*ADR Class:*

*not applicable*

*Hazard no.:*

*Classification code:*

*Tunnel restriction code:*

*IMDG Class (sea):*

next page: 9



## Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

# Labshop

Chemicals, Restoration and Art Supplies

**67380 Plexigum® PQ 611**

Page 9

Revised edition: 27.05.2019

Version: 4.0

Printed: 25.06.2019

---

*Hazard no.:*

*EmS No.:*

*IATA Class:*

*not applicable*

*Hazard no.:*

**14. 4. Packaging Group**

*ADR/RID:*

*not applicable*

*IMDG:*

*IATA:*

**14. 5. Environmental Hazards**

*None*

**14. 6. Special Precautions for User**

*Not classified as a dangerous good under transport regulations.*

**14. 7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code**

*not applicable*

**14. 8. Further Information**

*Not classified as a dangerous good under transport regulations.*

---

**15. Regulatory Information**

**15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture**

*Water hazard class:*

*0, not hazardous (German Regulation, Assessment by list)*

*Local regulations on chemical accidents:*

*Seveso III Directive: not applicable under Directive 2012/18/EC.*

*Employment restrictions:*

*The employment restrictions for expectant and nursing mothers, and for young workers are to be observed.*

*Restriction and prohibition of application:*

*Technical instructions on air quality: 5.2.1*

**15. 2. Chemical Safety Assessment**

*A Chemical Safety Assessment has not been carried out for this product.*

**15. 3. Further Information**

*Listed in the following inventories:*

*EINECS (EU), TSCA (USA), KECI (KR), IECSC (CN)*

---

**16. Other Information**

*This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.*