According to regulation (EC) No. 1907/2006 (REACH)

LabshopChemicals, Restoration and Art Supplies

70010 Pine Turpentine

Page 1

Revised edition: 02.01.2017 Version: 3 Printed: 04.04.2017

1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Pine Turpentine

Article No.: 70010

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Oil essence, odorous substance

Uses advised against:

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Interlabshop B.V.

Address: Lage Brink 23, 7317 BD Apeldoorn The Netherlands

Tel./Fax.: Tel. +3155-5215016
Internet: www.Labshop.nl
EMail: labshop@labshop.nl

Importer: -

1.4. Emergency No. --

Emergency No.: --

2. Hazards Identification

2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Flammable liquids, hazard category 3
Acute toxicity (oral), hazard category 4
Aspiration hazard, hazard category 1
Acute toxicity (dermal), hazard category 4

Skin irritation, hazard category 2 Skin sensitization, hazard category 1 Eye irritation, hazard category 2

Acute toxicity (inhalation), hazard category 4 Chronic aquatic toxicity, hazard category 2

H226 Flammable liquid and vapour.

Cat.: 3

H302 Harmful if swallowed.

Cat.: 4

H304 May be fatal if swallowed and enters airways.

Cat.: 1

H312 Harmful in contact with skin.

Cat.: 4

H315 Causes skin irritation.

Cat.: 2

H317 May cause an allergic skin reaction.

Cat.: 1

H319 Causes serious eye irritation.



Pine Turpentine 70010

Page	2
race	

Revised edition: 02.01.2017	Version: 3	Printed: 04.04.2017

Jat.: 2	
1 332	Harmful if inhaled.

Cat.: 4

H411 Toxic to aquatic life with long lasting effects.

Cat.: 2

Classification according to Directive No.

67/548/EC or No. 1999/45/EC

Harmful (Xn)	R20	Harmful by inhalation.
	R21	Harmful in contact with skin.
Harmful (Xn)	R22	Harmful if swallowed.
Irritating (Xi)	R36	Irritating to eyes.
Irritating (Xi)	R38	Irritating to skin.
Irritating (Xi)	R43	May cause sensitization by skin contact.
Hazardous to the environment (N)	R51	Toxic to aquatic organisms.
	R53	May cause long-term adverse effects in the aquatic environment.
Harmful (Xn)	R65	Harmful: May cause lung damage if swallowed.

Safety Phrases:

Possible Environmental Effects:

See Section 12.

2. 2. **Label Elements**

Classification according to Regulation (EC) No. 1272/2008 (ČLP/GHS)

Hazard designation:





Signal word:

Danger

Hazard designation:

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

Harmful in contact with skin. H312

Causes skin irritation.

According to regulation (EC) No. 1907/2006 (REACH)



70010 Pine Turpentine

Page 3

Revised edition: 02.01.2017		Version: 3	Printed:	04.04.2017
	H315			
	H317	May cause an allergic skin reaction.		
	H319	Causes serious eye irritation.		
	H332	Harmful if inhaled.		
	H411	Toxic to aquatic life with long lasting effects.		
	EUH208	May produce an allergic reaction.		
Safety designation:				
	P260c	Do not breathe vapours.		
	P280	Wear protective gloves/ clothing/ eye/ face protection.		
	P301+P310	If swallowed: Immediately call a poison center or physician.		
	P302+P352	If on skin: Wash with soap and water.		
	P331	Do not induce vomiting.		
	P333+P313	If skin irritation or rash occurs: Get medical attention.		
	P501	Dispose of contents/ container according to international regulations.	regional,	national and
Hazardous compon	ents for labellina:			
<i>a. a. a</i>	i ii i	Turpentine, oil		

2. 3. Other Hazards

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

Chemical Characterization: Turpentine Oil

Information on Components / Hazardous

Ingredients:

Turpentine oil (N, Xn; R10-20/21/22-36/38-43-51-53; H226-332-312-302-304-319-315-317-411); REACH Reg. No. 01-2119553060-53-0007

<= 100 % CAS-Nr: 8006-64-2

EINECS-Nr: 232-350-7 EC-Nr: 650-002-00-6

Additional information:

4. First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Remove contaminated clothes immediately. Take person away from hazardous area.

Intoxication symptoms may occur after several hours, therefore a

48 hour medical observation is necessary.

Consult physician.

After inhalation:

Supply fresh air. If required give artificial respiration. In case of complaints or unconsiousness consult a physician. In case of unconsciousness place patient stable in side position for

transportation.

After skin contact:

Wash off with plenty of water and soap. Consult a physician if

irritation persists.

According to regulation (EC) No. 1907/2006 (REACH)

Labshop Chemicals, Restoration and Art Supplies

70010 Pine Turpentine

Page 4

Revised edition: 02.01.2017 Version: 3 Printed: 04.04.2017

After eye contact:

Rinse open eyes with plenty of water for at least 15 minutes.

Consult physician.

After ingestion:

Rinse mouth with plenty of water and consult physician.

Do NOT induce vomiting. Risk of aspiration! Consult physician

immediately.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

Swallowing: may be fatal if swallowed and enters the respiratory

system.

Can cause allergic reactions.

Effects:

Harmful

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

5. Fire-Fighting Measures

5. 1. Extinguishing Media

Suitable extinguishing media:

Foam, CO2, dry extinguishing powder.

Unsuitable extinguishing media:

Water with full jet.

5. 2. Special Hazards arising from the Substance or Mixture

Special hazards:

Flammable.

In case of fire: formation of organic crack products and carbon

oxides.

Fumes can form an explosive mixture with air.

5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear suitable protective clothing.

Further information:

Cool closed containers exposed to fire with water mist.

Collect contaminated extinguishing water and debris separately;

avoid contamination of sewage system.

6. Accidential Release Measures

6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

Provide adequate ventilation. Keep away from sources of ignition.

Avoid contact with eyes and skin.

According to regulation (EC) No. 1907/2006 (REACH)

Chemicals, Restoration and Art Supplies

Pine Turpentine 70010

Page 5

Revised edition: 02.01.2017 Version: 3 Printed: 04.04.2017

Do not inhale aerosol/fumes/vapors.

6. 2. **Environmental Precautions**

Environmental precautions:

Prevent contamination of soils, drains and surface water. Contact local authorities if product pollutes soil or vegetation.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with non-flammable absorbent material (e.g. sand, diatomaceous earth, vermiculite) and dispose accordingly. Remove all sources of ignition. Only use anti-static equipped (spark-free) tools.

6.4. Reference to other Sections

Protective clothing, see Section 8.

See Section 13 for information on disposal.

7. **Handling and Storage**

7. 1. **Precautions for Safe Handling**

Instructions on safe handling:

Avoid contact with eyes and skin.

The usual precautionary measures are to be adhered to when

handling chemicals.

Provide good ventilation and/or exhaust at the workplace. Ensure

adequate ventilation. Handle and open container with care.

Hygienic measures:

Take off contaminated clothing immediately.

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work. A nearby eyewash facility should be available for emergencies.

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store the product in the original tightly sealed containers in a dry

and cool place.

Protect against heat.

Protect from direct exposure to light.

Do not store together with strong acids and oxidants.

Accesible for authorized persons only.

Requirements for storage areas and containers:

Store in a room with a solvent-proof floor.

Unsuitable container material: plastics can be attacked.

Information on fire and explosion

protection:

Do not store together with combustible and self-ignitable products.

Keep away from sources of ignition - do not smoke. Take

measures to prevent electrostatic discharge.

Use only explosion protected devices.

Contaminated cleaning rags and cloths, and protective clothing

According to regulation (EC) No. 1907/2006 (REACH)

Chemicals, Restoration and Art Supplies

Pine Turpentine 70010

Page 6

Revised edition: 02.01.2017 Version: 3 Printed: 04.04.2017

may ignite spontaneously after several hours.

Storage class (VCI):

3: Flammable liquids

Further Information:

7. 3. Specific End Use(s)

Further information:

No information available.

8. **Exposure Controls/Personal Protection**

8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

Turpentine oil (CAS 8006-64-2): TWA: 8.2 mg/m3, 2 ppm (long-

term value); 16.4 mg/m3, 4 ppm (short-term value)

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Turpentine oil:

161 µg/cm2 (worker, skin contact, short-term exposition) 5.98 mg/m3 (worker, inhalation, long-term exposition) 81 µg/cm2 (consumer, skin contact, short-term exposition) 0.31 mg/kg bw/d (consumer, swallowing, long-term exposition)

1.06 mg/m3 (consumer, inhalation, long-term exposition)

Predicted No-Effect Concentration

(PNEC):

Turpentine oil (CAS 8006-64-2):

Fresh water: 8.8 µg/l Sea water: 0.88 µg/l

Fresh water sediment: 2.27 mg/kg dw Sea water sediment: 0.227 mg/kg dw

Oral (secondary poisoning): 1.35 mg/kg (feed) Sewage treatment system (STP): 6.6 mg/l

Soil: 0.45 mg/kg

Additional Information:

8. 2. **Exposure Controls**

Technical protective measures:

Ensure adequate ventilation, especially in confined areas.

Facilities storing or utilizing this material should be equipped with

an eyewash facility.

Personal Protection

General protective measures:

Remove contaminated clothing immediately.

Do not inhale gas/fumes/vapor/aerosol.

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Respiratory protection:

Revised edition: 02.01.2017

According to regulation (EC) No. 1907/2006 (REACH)

LabshopChemicals, Restoration and Art Supplies

70010 Pine Turpentine

Page 7 Printed: 04.04.2017

Respiratory equipment required in case of insufficient ventilation,

filter type A.

Version: 3

Hand protection:

Protective gloves

The manufacturer's directions for use should be observed

because of the great diversity of types.

Protective glove material:

Nitrile rubber (> 480 min, 0.11 mm).

Eye protection:

Tightly fitting safety goggles (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

Prevent contamination of open water ways and sewage system.

Avoid contamination of ground water.

Contact local authorities if large spillages cannot be contained.

9. Physical and Chemical Properties

9. 1. Information on Basic Physical and Chemical Properties

Form: liquid

Color: colorless

Odor: mineral spirit odor

Odor threshold:

No information available.

pH-Value:

not applicable

Melting temperature: -60°C

Boiling temperature: 154 - 170°C

Flash point: 34°C

Evaporation rate: 21.6 (Ether=1)

Flammability (solid, gas): ca. 220°C

Upper explosion limit: 6.1 Vol.-%

Vapor pressure: < 5.19 hPa (20°C)

Vapor density:

Lower explosion limit:

No information available.

Density: 0.86 - 0.87 g/cm3 (20°C)

Solubility in water: practically insoluble

Coefficient of variation (n-

Octanol/Water):

4.49 logPOW

0.7 Vol.-%

According to regulation (EC) No. 1907/2006 (REACH)



70010 Pine Turpentine

Page 8 Revised edition: 02.01.2017 Version: 3 Printed: 04.04.2017 225°C (1013 hPa) Auto-ignition temperature: Decomposition temperature: No data available. Viscosity, dynamic: 1.3 mPa.s (25°C) Explosive properties: not available Oxidizing properties: No information available. Bulk density: not determined 9. 2. **Further Information** Solubility in solvents: Viscosity, kinematic Burning class: Solvent content: Solid content: Particle size: Other information: No further information. 10. Stability and Reactivity 10.1. Reactivity Flammable liquid and vapor. 10.2. **Chemical Stability** No decomposition if used according to specifications. 10.3. Possibility of Hazardous Reactions Formation of explosive vapor-air-mixtures possible. Heating leads to an increase of pressure and risk of bursting. 10.4. **Conditions to Avoid** Conditions to avoid: Avoid heat, open fire and other ignition sources. Thermal decomposition: No data available. 10.5. **Imcompatible Materials** Strong acids and strong oxidizing agents. Contaminated cleaning rags and cloths, and protective clothing may ignite spontaneously after several hours. 10.6. **Hazardous Decomposition Products** In case of fire: formation of organic crack products and carbon oxides. 10.7. **Further Information**

According to regulation (EC) No. 1907/2006 (REACH)

LabshopChemicals, Restoration and Art Supplies

70010 Pine Turpentine

Page 9

Revised edition: 02.01.2017 Version: 3 Printed: 04.04.2017

11. Toxicological Information

11. 1. Information on Toxicological Effects

Acute Toxicity

LD50, oral: 3956 mg/kg (rat)

LD50, dermal: > 2000 mg/kg (rabbit)

LC50, inhalation: 13.7 mg/l (4h, rat; OECD 403)

29 mg/l (2h, mouse; OECD 403)

Primary effects

Irritant effect on skin:

Irritating (rabbit)

Irritant effect on eyes:

Irritating effect (rabbit).

Inhalation:

No information available.

Ingestion:

No information available

Sensitization:

May cause allergic skin reactions.

Mutagenicity:

No relevant data found.

Reproductive toxicity:

No information available.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No relevant data found.

Additional toxicological information:

Aspiration toxiciity: may be fatal if swallowed and enters airways.

May cause an allergic skin reaction.

Harmful. Irritating. Risk of skin absortion.

12. Ecological Information

12. 1. Aquatic Toxicity

Toxic for aquatic organisms. May cause long-term adverse effects

in the aquatic environment.

Fish toxicity:

No data available.

Daphnia toxicity:

Turpentine oil: EC50: 14.1 mg/l

next page: 10

ADR/RID:

According to regulation (EC) No. 1907/2006 (REACH)



70010 Pine Turpentine

Page 10 Revised edition: 02.01.2017 Version: 3 Printed: 04.04.2017 Bacteria toxicity: Turpentine oil: EC50: 736 mg/l (3h, aquatic microorganisms; OECD 209) Algae toxicity: No information available. 12. 2. Persistency and Degradability Readily biodegradable (OECD 301). 12. 3. Bioaccumulation An appreciate bioaccumulation potential is to be expected (log P (o/w) > 3).12. 4. Mobility No information available. 12. 5. Results of PBT- und vPvP Assessment This substance is not classified as PBT (persistent, bioaccumulative, toxic), nor as vPvB (very persistent, very bioaccumulative). 12.6. Other Adverse Effects Water hazard class: 2 (German Regulation) (Assessment by list): hazardous. Behaviour in sewage systems: Further ecological effects: May cause long-term adverse effects in the aquatic environment. Prevent product from entering surface water and drains. Toxic to water organisms. AOX Value: Product does not contain any organically bound halogen. 13. **Disposal Considerations** 13. 1. **Waste Treatment Methods** Product: Must be treated as toxic waste according to local laws and regulations. Must not be disposed together with household garbage. European Waste Code (EWC): 140603* - Other solvents and solvent mixtures Uncleaned packaging: Drain container thoroughly. After draining, vent in a safe place away from sparks and fire. Waste Code No.: 14. Transport Information 14. 1. **UN Number** ADR, IMDG, IATA 1299 14. 2. **UN Proper Shipping Name**

TERPENTIN

According to regulation (EC) No. 1907/2006 (REACH)



Pine Turpentine 70010

Page 11

Revise	d edition: 02.01.2017	Version: 3	Printed: 04.04.2017
	IMDG/IATA:	TURPENTINE	
14. 3.	Transport Hazard Classes		
	ADR Class:	3	
	Hazard no.:	3	
	Classification code:	F1	
	Tunnel restriction code:	D/E	
	IMDG Class (sea):	3	
	Hazard no.:	3	
	EmS No.:	F-E, S-E	
	IATA Class:	3	
	Hazard no.:	3	
14. 4.	Packaging Group		
	ADR/RID:	III	
	IMDG:	III	
	IATA:	III	
14. 5.	Environmental Hazards		
		Labelling according 5.2.1.8 ADR	
		Labelling according 5.2.1.6.3 IMI	
		Classification as environmentally IMDG: yes	hazardous according 2.9.3
		Labelled with "P" according 2.10	IMDG: yes
14. 6.	Special Precautions for User		
		not applicable	
14. 7.	Transportation in Bulk according to A	nnex II of MARPOL 73/78 and IBC-Code	
	·	IMDG: not applicable	
14. 8.	Further Information		

15. **Regulatory Information**

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

2, hazardous for water (German Regulation, Assessment by list)

Local regulations on chemical accidents:

Underlies the Accident Ordinance 6.

Employment restrictions:

The employment restrictions for young workers in accordance with the Youth Employment Protection Law (94/33/EC) are to be

observed.

The employment restrictions for expectant and nursing mothers in accordance with the Maternity Protection Guideline (94/85/EEC) are to be observed.

Restriction and prohibition of application:

Technical instructions on air quality:

According to regulation (EC) No. 1907/2006 (REACH)



70010 Pine Turpentine

Revised edition: 02.01.2017

Version: 3

Printed: 04.04.2017

15. 2. Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this product.

15. 3. Further Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.