

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

Labshop

Chemicals, Restoration and Art Supplies

972501 HXTAL NYL-1, Resin

Page 1

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: HXTAL NYL-1, Resin

Article No.: 972501

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Resin for adhesive systems.

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Interlabshop B.V.

Address: Lage Brink 23, 7317 BD Apeldoorn The Netherlands

Tel./Fax.: Tel. +3155-5215016

Internet: www.Labshop.nl

E-Mail: labshop@labshop.nl

Importer: --

1.4. *Emergency No.:* --

Emergency No.: --

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

H317

Cat.: 1

H320

Cat.: 2

Skin sensitization, hazard category 1

Eye irritation, hazard category 2

May cause an allergic skin reaction.

Causes eye irritation.

Classification according to Directive No. 67/548/EC or No. 1999/45/EC

Safety Phrases:

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Hazard designation:



GHS07-1

Signal word:

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

972501 HXTAL NYL-1, Resin

Page 2

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

Warning

Hazard designation:

H317 May cause an allergic skin reaction.
H320 Causes eye irritation.

Safety designation:

P260c Do not breathe vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ clothing/ eye/ face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses and continue rinsing.

Hazardous components for labelling:

2.3. Other Hazards

3. Composition/Information on Ingredients

3.1. Substance

3.2. Mixture

Chemical Characterization:

Information on Components / Hazardous Ingredients:

Cyclohexanol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxirane)	100 %	CAS-Nr: 30583-72-3 EINECS-Nr: EC-Nr:
--	-------	--

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

Seek medical attention in case of complaints.

After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Give artificial respiration in case breathing is not regular or if it has stopped.

Consult physician if symptoms persist.

After skin contact:

Wash off immediately with soap and plenty of water and rinse thoroughly.

Remove contaminated clothing and shoes immediately.

Wash contaminated clothing and shoes before reuse.

If irritation continues consult a physician.

After eye contact:

Seek medical attention if irritation persists.

Remove contact lens. Rinse open eyes with plenty of water (10-15

972501 HXTAL NYL-1, Resin

Page 3

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

min). Should irritation continue, seek medical advice.

After ingestion:

Do not induce vomiting without medical advice.

Immediately get medical help.

Never give anything by mouth to an unconscious person.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

Contact Poison Control Center if large amounts are swallowed or inhaled.

5. Fire-Fighting Measures**5.1. Extinguishing Media**

Suitable extinguishing media:

Use extinguishing media for surrounding fire.

Unsuitable extinguishing media:

None known.

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

The container may burst when heated or in case of fire.

In case of fire: formation of carbon monoxide and dioxide, aldehydes.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device and full protective gear.

Further information:

Cool exposed containers with water spray.

6. Accidental Release Measures**6.1. Personal Precautions, Protective Equipment and Emergency Procedures**

Personal precautions:

Keep unprotected persons out of danger zone.

Evacuate the danger area, observe emergency procedures, consult an expert.

Do not inhale aerosol/fumes/vapors.

6.2. Environmental Precautions

Environmental precautions:

Prevent contamination of soil, drains and surface waters.

6.3. Methods and Material for Containment and Cleaning Up

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

972501 HXTAL NYL-1, Resin

Page 4

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

Methods and material:

*Contain with absorbent material (sand, diatomaceous earth, universal absorbent, Oil Dri) and dispose accordingly.
Clean polluted are with water or other cleaning fluids.*

6. 4. Reference to other Sections

7. Handling and Storage

7. 1. Precautions for Safe Handling

Instructions on safe handling:

*Avoid contact with eyes, skin and clothing.
Do not breathe vapors, spray or gas.*

Hygienic measures:

*Do not eat or drink during work. Do not smoke.
Change contaminated clothing. Wash hands after work.*

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

*Store in tightly sealed containers in a dry and cool room.
Protect product from direct sunlight.
Close opened containers carefully and store upright to avoid product to spill.*

Requirements for storage areas and containers:

*Keep container tightly closed.
Store the product in the original container.
Do not store product in unlabelled containers.*

Information on fire and explosion protection:

*No special measures necessary.
Do not store together with: foodstuffs and animal feed.*

Storage class (VCI):

Further Information:

7. 3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

none known

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration (PNEC):

Additional Information:

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

972501 HXTAL NYL-1, Resin

Page 5

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

8.2. Exposure Controls

Technical protective measures:

Ensure adequate ventilation, especially in confined areas.

Facilities storing or utilizing this material should be equipped with an eyewash and shower facility.

Personal Protection

General protective measures:

Wash hands before breaks and after work.

Wash contaminated clothes before reuse.

Respiratory protection:

Required in case of insufficient ventilation.

Hand protection:

Protective gloves (EN 374)

Protective glove material:

Rubber or plastic gloves.

The glove material must be sufficiently impermeable and resistant against the product.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

Prevent from getting into the soil, surface water and sewage system.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form: *viscous liquid*

Color: *clear-transparent*

Odor: *odorless*

Odor threshold: *No information available.*

pH-Value: *not available*

Melting temperature: *10°C (50°F)*

Boiling temperature: *not available*

Flash point: *115°C (239°F)*

Evaporation rate: *No information available.*

Flammability (solid, gas): *not available*

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

972501 HXTAL NYL-1, Resin

Page 6

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not determined

Vapor density:

> 1

Density:

1.09

Solubility in water:

practically insoluble

Coefficient of variation (n-Octanol/Water):

no information available

Auto-ignition temperature:

not determined

Decomposition temperature:

not determined

Viscosity, dynamic:

1.8 - 2.5 Pa.s (25°C)

Explosive properties:

not applicable

Oxidizing properties:

no information available

Bulk density:

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

No further information.

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

Reacts with strong oxidants.

Polymerizes exothermically with amines.

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

Labshop

Chemicals, Restoration and Art Supplies

972501 HXTAL NYL-1, Resin

Page 7

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

10.4. Conditions to Avoid

Conditions to avoid:

Strong heating.

Caustic soda can induce vigorous polymerization at temperatures around 200°C (392°F).

Thermal decomposition:

10.5. Incompatible Materials

Strong oxidizing agents.

Caustic soda

10.6. Hazardous Decomposition Products

None if stored and handled according to specifications.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

No information available.

LD50, oral:

LD50, dermal:

LC50, inhalation:

Primary effects

Irritant effect on skin:

May cause allergic reactions.

Irritant effect on eyes:

Irritating to eyes.

Inhalation:

No information available.

Ingestion:

May cause irritation of the mouth, throat and stomach.

Sensitization:

No relevant data found.

Mutagenicity:

No relevant data found.

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No relevant data found.

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

Labshop

Chemicals, Restoration and Art Supplies

972501 HXTAL NYL-1, Resin

Page 8

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

Additional toxicological information:

12. Ecological Information

12.1. Aquatic Toxicity

No information available.

Fish toxicity:

Daphnia toxicity:

Bacteria toxicity:

Algae toxicity:

12.2. Persistency and Degradability

No information available.

12.3. Bioaccumulation

No information available.

12.4. Mobility

No information available.

12.5. Results of PBT- und vPvP Assessment

No data available.

12.6. Other Adverse Effects

Water hazard class:

Behaviour in sewage systems:

Further ecological effects:

No special effects or hazards known.

AOX Value:

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

Dispose of according to official national and local regulations.

European Waste Code (EWC):

Uncleaned packaging:

Dispose of according to official local regulations.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

next page: 9

972501 HXTAL NYL-1, Resin

Page 9

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

14.3. Transport Hazard Classes*ADR Class:**not applicable**Hazard no.:**Classification code:**Tunnel restriction code:**IMDG Class (sea):**Hazard no.:**EmS No.:**IATA Class:**not applicable**Hazard no.:***14.4. Packaging Group***ADR/RID:**not applicable**IMDG:**IATA:***14.5. Environmental Hazards***None***14.6. Special Precautions for User***Not classified as a dangerous good under transport regulations.***14.7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code***not applicable***14.8. Further Information***Do not store together with foodstuffs.*

15. Regulatory Information**15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture***Water hazard class:**no information available**Local regulations on chemical accidents:**Employment restrictions:**Restriction and prohibition of application:**Technical instructions on air quality:***15.2. Chemical Safety Assessment***A Chemical Safety Assessment has not been carried out for this product.***15.3. Further Information***Listed in the following inventories:**TSCA (USA): All components of this product are in compliance*

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

Labshop

Chemicals, Restoration and Art Supplies

972501 HXTAL NYL-1, Resin

Page 10

Revised edition: 01.05.2018

Version: 2

Printed: 07.12.2018

with the inventory listing requirements of the U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65(Chemicals known to cause cancer): None of the ingredients are listed.

WHMIS (Canada): Class D-2B: Material causing other toxic effects (Toxic)

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.