Labshop Chemicals, Restoration and Art Supplies

			Page	1
Revised	d edition: 19.03.2019	Version: 4	Printed:	22.11.2022
1.	Identification of the Substance/M	ixture and of the Company/Unde	rtaking	
1. 1.	Product Identifier			
	Product Name:	Linseed Stand Oil, 45 P		
	Article No.:	073200		
	UFI:			
1. 2.	Relevant identified Uses of the Substance or	Mixture and Uses advised against		
	Identified uses:	Binding agent		
	Uses advised against:			
1. 3.	Details of the Supplier of the Safety Data She	et (Producer/Importer)		
	Company:	Interlabshop BV		
	Address:	Lage Brink 23, 7317BD Apeldoorn T	he Netherlands	
	Tel./Fax.:	24/0) 55 5045046		
	Internet:	+31(0)55-5215016		
	EMail:	www.labshop.nl		
	Importer:	labshop@labshop.nl		
1. 4.	Emergency No.			
	Emergency No.:	112 (24 hours a day)		
1. 4. 2	Poison Center:			
2.	Hazards Identification			
2. 1.	Classification of the Substance or Mixture			
	Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)	This product does not require classil hazardous according to CLP/GHS.	fication and labell	ing as
	Possible Environmental Effects:	j		
2. 2.	Label Elements			
	Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)			
		This product does not require classit hazardous according to CLP/GHS.	fication and labelli	ing as
	Hazard designation:	Not applicable.		
	Signal word:			
	Hazard designation:			
	Safety designation:			
	Hazardous components for labelling:			
	Other Hazards			

Labshop Chemicals, Restoration and Art Supplies

Revised	d edition: 19.03.2019	Version: 4	Printed: 22.11.2	022
3. 1.	Substance			
3. 2.	Mixture			
	Chemical Characterization:	Linssed oil		
	Information on Components / Hazardo Ingredients:	us		
	Linseed oil, polymerized; REACH Reg 2119978296-21-xxxx	. No. 01- > 99 %	CAS-Nr: 67746-08-1 EINECS-Nr: 614-114-9 EC-Nr:	
	Additional information:			
4.	First Aid Measures			
4. 1.	Description of the First Aid Measures			
	General information:	Remove contaminated c	lothes immediately.	
	After inhalation:		······	
		Supply fresh air and see	k medical advice in case of complaints	S.
	After skin contact:			
		Wash off with plenty of v	vater and soap.	
	After eye contact:			
		Rinse open eyes with ple Seek medical attention in	enty of water for at least 15 minutes. ^f irritation persists.	
	After ingestion:			
		Rinse mouth with water If symptoms persist cons	and drink plenty of water. sult physician.	
4. 2.	Most important Symptoms and Effects, bot	h Acute and Delayed		
	Symptoms:			
		No further information a	vailable.	
	Effects:			
4.0		No further information as		
4. 3.	Indication of any Immediate Medical Attent	ion and special freatment needs	20	
	Treatment:	Treat symptomatically.		
5.	Fire-Fighting Measures	, , , , , , , , , , , , , , , , , , ,		
5. 1.	Extinguishing Media			
	Suitable extinguishing media:			
		CO2, extinguishing power Fight larger fire with wate	der, water jet. er jet or alcohol resistant foam.	
	Unsuitable extinguishing media:	-		
		Water with full jet.		
5. 2.	Special Hazards arising from the Substance	e or Mixture		
	Special hazards:			

Labshop Chemicals, Restoration and Art Supplies

			Page 3		
Revise	d edition: 19.03.2019	Version: 4	Printed: 22.11.2022		
		In case of fire: formation of carl possibly acrolein.	oon monoxide and dioxide, and		
		Adsorbed product tends to ignit	e spontaneously.		
5. 3.	Advice for Firefighters				
	Protective equipment:				
		Wear self-contained respiratory	[,] protective device.		
	Further information:				
		Collect contaminated extinguisl avoid contamination of sewage	hing water and debris separately;		
		Cool exposed containers with w	•		
6.	Accidential Release Measures	6			
6. 1.	Personal Precautions, Protective Equip	ment and Emergency Procedures			
	Personal precautions:				
		Wear protective clothing.			
		Avoid contact with eyes and sk	in.		
		Ensure adequate ventilation.	the second of the life of		
~ ^		Floor may be slippery; use care	to avoid failing.		
6. 2.	Environmental Precautions				
	Environmental precautions:	Provent spillage of large guanti	tion into drains and surface waters		
6. 3.	Prevent spillage of large quantities into drains and surface waters. Methods and Material for Containment and Cleaning Up				
0.0.	Methods and material:				
	methous and material.	Contain with inert absorbent ma	aterial and dispose as hazardous		
		waste.			
		Do not use flammable material,	e.g. saw dust!		
6. 4.	Reference to other Sections	Protoctive elething and Section			
		Protective clothing, see Section See Section 13 for information			
7.	Handling and Storage		'		
7. 1.	Precautions for Safe Handling				
	Instructions on safe handling:				
		Avoid contact with eyes.			
		Do not breathe vapors, aerosol	S.		
			tiles and paper, which have been ignite when the water content has		
		Contaminated materials have to plenty of water.	be washed immediately with		
	Hygienic measures:				
		Wash hands with soap and wat			
		Avoid repeated and longterm co	ontact with skin.		
7. 2.	Conditions for Safe Storage, including a	any Incompatibilities			
	Storage conditions:				
		Chave in timbly sealed			

Labshop Chemicals, Restoration and Art Supplies

	d adition: 10.02.2010	Version: 4	Page 4
Revise	d edition: 19.03.2019	Version: 4 Protect from direct exposure to light.	Printed: 22.11.2022
		Store at temperatures between 10 and 30°	°C.
	Requirements for storage areas and		
	containers:	.	
		Store the product in the original container. Water law provisions have to be met.	
	Information on five and evaluation	water law provisions have to be met.	
	Information on fire and explosion protection:		
		Absorbed product has the tendency to self	-
		Keep away from sources of ignition - do no measures to prevent electrostatic discharg	
		Do not spray on flames or glowing bodies.	0.
	Storage class:		
		10; Combustible liquids (TRGS 510, Storag materials in transportable containers)	ge of hazardous
	Further Information:		
7. 3.	Specific End Use(s)		
	Further information:		
		Binding agent	
8.	Exposure Controls/Personal Pro	tection	
3. 1.	Parameters to be Controlled		
		None known	
	Parameters to be controlled (DE):		
	Parameters to be controlled:		
	Derived No-Effect Level (DNEL):		
		0.25 mg/kg bw/d (consumer, swallowing, lo systemic effects)	ong-term exposure -
		2.5 mg/kg bw/d (consumer, skin contact, lo systemic effects)	ong-term exposure -
		5 mg/kg bw/d (worker, skin contact, long-te effects)	erm exposure - system
		0.43 mg/m3 (consumer, inhalation, long-te effects)	rm exposure - systemic
		1.76 mg/m3 (worker, inhalation, long-term effects)	exposure - systemic
	Predicted No-Effect Concentration (PNEC):		
	Additional Information:		
8. 2.	Exposure Controls		
	Technical protective measures:		
		No further measures, see Section 7.	
	Personal Protection		
	General protective measures:		
		Remove contaminated clothing immediate	ly.

Labshop Chemicals, Restoration and Art Supplies

		Page	5
Revised edition: 19.03.2019	Version: 4	Printed:	22.11.2022
	Do not inhale gas/fumes/vapor/aerosol.		
	Avoid contact with skin, eyes and clothing.		
	Wash hands before breaks and after work.		
Respiratory protection:			
	Not required.		
Hand protection:			
	Protective gloves. The glove material has to resistant to the product / substance / prepare		meable and
Protective glove material:			
	Nitrile rubber (NBR), chloroprene rubber (C (PVC).	R), polyvin	nyl chloride
	Suitability and durability of a glove is depen frequency and duration of contact, chemica material and dexterity. Always seek advice	l resistanc	e of glove
Eye protection:			
	Tightly fitting safety goggles (EN 166).		
Body protection:			
	Protective clothing.		
Environmental precautions:			
	Prevent from getting into the soil, surface w system.	ater and s	ewage
9. Physical and Chemical Properties			
9. 1. Information on Basic Physical and Chemical	Properties		
Form:	viscous		

T OITH.	130003
Color:	bright yellow
Odor:	characteristic
Odor threshold:	
	no information available
pH-Value:	
	not determined
Melting temperature:	-42 - +4°C
Boiling temperature:	
	not determined
Flash point:	> 300°C
Evaporation rate:	
Flammability (solid, gas):	425°C
Upper explosion limit:	
	no information available
Lower explosion limit:	
	no information available
Vapor pressure:	< 0.000133 hPa
	Color: Odor threshold: Ddor threshold: pH-Value: Melting temperature: Boiling temperature: Flash point: Evaporation rate: Flammability (solid, gas): Upper explosion limit: Lower explosion limit:

Labshop Chemicals, Restoration and Art Supplies

Revised	edition: 19.03.2019	Version: 4	Page Printed:	22.11.202
	Vapor density:			
		No information available.		
	Density:	0.95 - 0.97 g/cm3 (20°C)		
	Solubility in water:	< 0.001 g/l		
	Coefficient of variation (n- Octanol/Water):	> 6 logKOW		
		no information available		
	Auto-ignition temperature:	420°C		
	Decomposition temperature:	350°C		
	Viscosity, dynamic:	40 - 50 dPa.s (20°C)		
	Explosive properties:	Product does not present an explo	sion hazard.	
	Oxidizing properties:	not oxidizing		
	Bulk density:	not determined		
9. 2.	Further Information			
	Solubility in solvents:			
	Viscosity, kinematic:			
	Burning class:			
	Solvent content:			
	Solid content:			
	Particle size:			
	Other information:			
		Temperature class: T2 (maximum	temperature: 300°0	C)
10.	Stability and Reactivity			
10.1.	Reactivity			
		No decomposition if used accordin	ng to specifications.	
10.2.	Chemical Stability	Stable if used according to specific	cations.	
10.3.	Possibility of Hazardous Reactions			
		Finely distributed hot particles hav	e the tendency to s	elf-ignite.
10.4.	Conditions to Avoid			
	Conditions to avoid:	Avoid contact with heat, sparks, in discharge.	npact, friction, spark	s and statio
	Thermal decomposition:	Avoid heat.		
10.5.	Imcompatible Materials			
		Acids, alkalis and oxidizing agents	ne	xt page:



Revised	d edition: 19.03.2019	Version: 4	Page Printed [.]	22.11.202
10.6.	Hazardous Decomposition Products	Carbon monoxide and dioxide. Acrolein.	T TINEG.	22.11.202
10.7.	Further Information			
11.	Toxicological Information			
1. 1.	Information on Hazard Classes as defined	l in Regulation (EC) No. 1272/2008		
	Acute Toxicity			
	LD50, oral:	> 4897 mg/kg (rat; OECD 401) NOAEL: > 1000 mg/kg/d (rat; OECD 422)		
	LD50, dermal:	> 2000 mg/kg (rat; OECD 402)		
	LC50, inhalation:			
		not determined		
	Primary effects			
	Irritant effect on skin:	Non irritating		
	Irritant effect on eyes:			
		Non-irritating to eyes		
	Inhalation:			
		No information available.		
	Ingestion:			
		No information available		
	Sensitization:	No consitizing offects (nown		
		No sensitizing effects known.		
	Mutagenicity:	Not mutagenic (Ames-Test; OECD 471)		
	Reproductive toxicity:			
	Reproductive texterly.	No information available.		
	Carcinogenicity:			
		No relevant data found.		
	Teratogenicity:			
		No information available.		
	Specific target organ toxicity (STOT).			
		No relevant data found.		
	Aspiration hazard	No risk of aspiration.		
1. 2.	Information on other Hazards			
		No further information available.		
12.	Ecological Information			
2. 1.	Aquatic Toxicity			

Labshop Chemicals, Restoration and Art Supplies

			Page 8
Revise	d edition: 19.03.2019	Version: 4	Printed: 22.11.2022
		LC50: > 1000 mg/l (96h, Danio rerio; OB	ECD 203)
	Daphnia toxicity:		
		EC50: > 100 mg/l (48h, Daphnia magna	; OECD 202)
	Bacteria toxicity:	ECE0 > 100 mg//(2h optive pludge: OF	
		EC50: > 100 mg/l (3h, active sludge; OE	200 209)
	Algae toxicity:	EC50: > 100 mg/l (72h, Pseudokirchner	iella subcapitata)
12. 2.	Persistency and Degradability		
		Not readily biodegradable. 33 % (28d)	
12. 3.	Bioaccumulation		
		logPOW: > 6	
12. 4.	Mobility		
		Adsorption to solid soil phase is expected	ed.
12. 5.	Results of PBT- und vPvP Assessment	Not applicable.	
12. 6.	Endocrine Disrupting Properties	Not applicable.	
12. 0.		Not listed.	
12.7.	Other Adverse Effects		
	Water hazard class:		
		1, slightly hazardous	
	Behaviour in sewage systems:		
	Further ecological effects:		
	AOX Value:		
13.	Disposal Considerations		
13. 1.	Waste Treatment Methods		
	Product:		
		Must not be disposed together with hou. Do not let product enter water systems.	sehold garbage.
	European Waste Code (EWC):	bo not let product chief water systems.	
	Uncleaned packaging:	Dispose of according to official local reg	ulations.
	Waste Code No.:		
14.	Transport Information		
14. 1.	UN Number		
	ADR, IMDG, IATA		
14. 2.	UN Proper Shipping Name		
	ADR/RID:		
		No hazardous goods according to ADR transportation).	/ DOT (US) (land

Labshop Chemicals, Restoration and Art Supplies

			Page	Ş
Revise	d edition: 19.03.2019	Version: 4	Printed:	22.11.2022
	IMDG/IATA:	Not hazardous goods		
14. 3.	Transport Hazard Classes			
	ADR Class:			
		not applicable		
	Hazard no.:			
	Classification code:			
	Tunnel restriction code:			
	IMDG Class (sea):			
		not applicable		
	Hazard no.:			
	EmS No.:			
	IATA Class:			
		not applicable		
	Hazard no.:			
14. 4.	Packaging Group			
	ADR/RID:	not applicable		
	IMDG:			
	IATA:			
14. 5.	Environmental Hazards			
141.01		Not classified as environmentally hazardo	us.	
14. 6.	Special Precautions for User			
		not applicable		
14. 7.	Maritime Transport in Bulk according to IMO I	nstruments not applicable		
14. 8.	Further Information			
		Not classified as a dangerous good under	⁻ transport re	gulations.
15.	Regulatory Information			
15. 1.	Safety, Health and Environmental Regulations	s/Legislation specific for the Substance or Mixtur	е	
	Water hazard class:			
		1, slightly hazardous for water (according Regulation AwSV)	to the Germ	an
	Local regulations on chemical accidents.	Seveso III Directive: not applicable under	Directive 20	12/18/EC.
	Employment restrictions:			
	Restriction and prohibition of application.	:		
		Not applicable.		
	Technical instructions on air quality:			<i>,</i>
		5.2.5.: Organic substances: m>=0.10 kg/ł	n: conc. 20 n ne:	<i>ng/m3</i> xt page: 10

Labshop Chemicals, Restoration and Art Supplies

			Page	10	
Revised edition: 19.03.2019		Version: 4	Printed:	22.11.2022	
15. 2.	Chemical Safety Assessment				
		A Chemical Safety Assessment has been carried out for thi product.			
15. 3.	Further Information				
		EC. REACH, Annex XIV, Candidate List of Substances of very High Concern (SVHC): not regulated / not applicable			
		RoHS Directive 2011/65/EC on the Restriction of the Use o Certain Hazardous Substances in Electrical and Electronic Equipment (RoHs): not listed.			
16.	Other Information				
		This product should be stored with good hygiene practices a regulations. This information of present state of knowledge an from the point of view of safet therefore not be construed as	and in conformity with an contained herein is base and is intended to describ y requirements. It should	y legal d on the e our product d be	