

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

K56450 Fluorescent Pigment Violet

Page 1

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

1. Identification of the Substance/Mixture and of the Company/Undertaking**1.1. Product Identifier***Product Name:* Fluorescent Pigment Violet*Article No.:* K56450**1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against***Identified uses:*

Fluorescent pigment for the production of paint, printing inks and coatings.

Uses advised against:

Consumer use, cosmetics, body care products, food coloring

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)*Company:* Interlabshop BV*Address:* Lage Brink 23, 7317BD Apeldoorn, The Netherlands*Tel./Fax.:* +3155 521 5016*Internet:* www.labshop.nl*E-Mail:* labshop@labshop.nl*Importer:* --**1.4. Emergency No.**

112 / 088 755 8000 (Mon-Fri 24/7)

*Emergency No.:***2. Hazards Identification****2.1. Classification of the Substance or Mixture***Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)*

This product does not require classification and labelling as hazardous according to CLP/GHS.

Classification according to Directive No. 67/548/EC or No. 1999/45/EC

The material is not subject to classification according to EC lists.

*Safety Phrases:**Possible Environmental Effects:***2.2. Label Elements***Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)*

This product does not require classification and labelling as hazardous according to CLP/GHS.

*Hazard designation:**Signal word:**Hazard designation:*

EUH208

May produce an allergic reaction.

Safety designation:

Take precautionary measures against static discharge.

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

K56450 Fluorescent Pigment Violet

Page 2

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

P243	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P262	Do not get in eyes, on skin, or on clothing.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.
P285	In case of inadequate ventilation wear respiratory protection.
P391	Collect spillage

Hazardous components for labelling:

2.3. Other Hazards

*Contains formaldehyde: can cause allergic reactions.
Formaldehyde can be released when heated.*

3. Composition/Information on Ingredients

3.1. Substance

3.2. Mixture

This produkt is a mixture.

Chemical Characterization:

*Information on Components / Hazardous
Ingredients:*

Formaldehyde (T, Carc.Cat.3; R23/24/25-34-40-43; H301-311-314-317-331-341-350); REACH Reg.No. 01-2119488953-20-xxxx	<0.1 %	CAS-Nr: 50-00-0 EINECS-Nr: 200-001-8 EC-Nr: 605-001-00-5
---	--------	--

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

Avoid contact with eyes, skin and clothes.

After inhalation:

Supply fresh air and seek medical advice in case of complaints.

After skin contact:

*Remove contaminated clothing.
Wash with soap and rinse with plenty of water.*

After eye contact:

*Rinse open eyes with plenty of water for at least 15 minutes.
Seek medical attention if irritation persists.*

After ingestion:

No special measures required.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

K56450 Fluorescent Pigment Violet

Page 3

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

*No further information available.***4. 3. Indication of any Immediate Medical Attention and special Treatment needed***Treatment:**Treat symptomatically.*

5. Fire-Fighting Measures**5. 1. Extinguishing Media***Suitable extinguishing media:**Foam, carbon dioxide, extinguishing powder, water, water mist.**Unsuitable extinguishing media:**Water with full jet.***5. 2. Special Hazards arising from the Substance or Mixture***Special hazards:**In case of fire: formation of irritating gases/vapors.***5. 3. Advice for Firefighters***Protective equipment:**Wear self-contained respiratory protective device.**Further information:**Avoid contamination of sewage system, open water ways and ground water.*

6. Accidental Release Measures**6. 1. Personal Precautions, Protective Equipment and Emergency Procedures***Personal precautions:**Avoid contact with skin and eyes. Do not ingest or inhale.**Wear protective clothing.***6. 2. Environmental Precautions***Environmental precautions:**Prevent contamination of soil, drains and surface waters.***6. 3. Methods and Material for Containment and Cleaning Up***Methods and material:**Take up mechanically and collect in suitable containers for disposal. Avoid dust formation.***6. 4. Reference to other Sections***Protective clothing, see Section 8.*

7. Handling and Storage**7. 1. Precautions for Safe Handling***Instructions on safe handling:**The usual precautionary measures are to be adhered to when handling chemicals.**Avoid formation of dust.**Provide adequate ventilation.**Hygienic measures:**Do not eat or drink during work. Do not smoke.*

next page: 4

K56450 Fluorescent Pigment Violet

Page 4

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

7.2. Conditions for Safe Storage, including any Incompatibilities*Storage conditions:**Store in tightly sealed containers in a dry room.**Protect against overheating.**Requirements for storage areas and containers:**Information on fire and explosion protection:**Do not store together with: oxidants.**Take measures to prevent electrostatic discharge.**Storage class (VCI):**Further Information:**When the product is applied at higher temperatures, formaldehyde is released. Provide adequate ventilation.***7.3. Specific End Use(s)***Further information:***8. Exposure Controls/Personal Protection****8.1. Parameters to be Controlled***Parameters to be controlled (DE):**Formaldehyde (CAS 50-00-0); TWA: 0.3 ppm, 0.37 mg/m³; 2 (I)**Parameters to be controlled:**Formaldehyde (CAS 50-00-0); TWA, STEL: GB (EH40): 2 ppm, 2.5 mg/m³; FR (VLEP): 0.5 ppm, 1 ppm; NL (MAC): 0.15 ppm, 0.5 mg/m³**Derived No-Effect Level (DNEL):**Predicted No-Effect Concentration (PNEC):**Additional Information:***8.2. Exposure Controls***Technical protective measures:**Provide adequate ventilation.**Personal Protection**General protective measures:**Do not inhale dust. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.**Respiratory protection:**Dust mask.**Hand protection:**Protective gloves (EN 374)**Protective glove material:**Rubber or plastic gloves.**Eye protection:*

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

K56450 Fluorescent Pigment Violet

Page 5

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

Safety glasses with protective shields (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

No special measures required.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form: powder

Color: violet

Odor: neutral

Odor threshold: No information available.

pH-Value: not available

Melting temperature: not applicable

Boiling temperature: not applicable

Flash point: not applicable

Evaporation rate: not applicable

Flammability (solid, gas): not applicable

Upper explosion limit: no information available

Lower explosion limit: no information available

Vapor pressure: not applicable

Vapor density: No information available.

Density:

Solubility in water: insoluble

Coefficient of variation (n-Octanol/Water): not applicable

Auto-ignition temperature: No information available.

Decomposition temperature:

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

K56450 Fluorescent Pigment Violet

Page 6

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

No data available.

Viscosity, dynamic:

not applicable

Explosive properties:

not applicable

Oxidizing properties:

no information available

Bulk density:

not determined

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

10. Stability and Reactivity

10.1. Reactivity

No information available.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

Hazardous polymerisation will not occur.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid dusting near sources of ignition. Avoid heat.

Thermal decomposition:

Avoid heat.

10.5. Incompatible Materials

Strong acids, strong bases and strong oxidizing agents.

10.6. Hazardous Decomposition Products

Carbon oxides, nitrogen oxides, sulfuric oxide, toxic fumes/vapors.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

LD50, oral:

Formaldehyde: 600 mg/kg (rat)

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

K56450 Fluorescent Pigment Violet

Page 7

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

LD50, dermal:

Formaldehyde: 270 mg/kg (rabbit)

LC50, inhalation:

Formaldehyde: 0.578 mg/l (4h; rat)

Primary effects

Irritant effect on skin:

Irritating to skin.

Irritant effect on eyes:

Irritating to eyes.

Inhalation:

Can cause irritation of the respiratory system.

Ingestion:

Sensitization:

No relevant data found.

Mutagenicity:

No relevant data found.

Reproductive toxicity:

No information available.

Carcinogenicity:

Formaldehyde: Carc. 1B (EC)

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No relevant data found.

Additional toxicological information:

No information available.

12. Ecological Information

12.1. Aquatic Toxicity

Fish toxicity:

Formaldehyde: LC50: 22.6-25.7 mg/l flow-through (96h; Pimephales promelas); LC50: 1510 µg/l static (96h; Lepomis macrochirus); LC50: 41 mg/l static (96h; Brachydanio rerio); LC50: 0,032-0,226 ml/l flow-through (96h, Oncorhynchus mykiss); LC50: 100-136 mg/l static (96h, Oncorhynchus mykiss); LC50: 23.2-29.7 mg/l static (96h; Pimephales promelas)

Daphnia toxicity:

Formaldehyde: LC50: 2 mg/l (48h; Daphnia magna); EC50: 11.3-18 mg/l static (48h; Daphnia magna)

Bacteria toxicity:

no information available

Algae toxicity:

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

K56450 Fluorescent Pigment Violet

Page 8

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

12.2. Persistency and Degradability

No information available.

12.3. Bioaccumulation

Formaldehyde: logPOW 0.35

12.4. Mobility

Product is not water soluble.

12.5. Results of PBT- und vPvP Assessment

No data available.

12.6. Other Adverse Effects

Water hazard class:

2 (German Regulation) (Assessment by list): hazardous.

Behaviour in sewage systems:

Further ecological effects:

AOX Value:

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

In accordance with current regulations, product may be taken to an incineration plant.

European Waste Code (EWC):

Uncleaned packaging:

Packaging may be disposed of in the same manner as the product.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

K56450 Fluorescent Pigment Violet

Page 9

Revised edition: 26.05.2015

Version: 1

Printed: 07.04.2017

Hazard no.:

EmS No.:

IATA Class:

Hazard no.:

14. 4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14. 5. Environmental Hazards

None

14. 6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14. 7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

14. 8. Further Information

15. Regulatory Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

2, hazardous for water (German Regulation)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: not applicable

Technical instructions on air quality:

15. 2. Chemical Safety Assessment

No information available.

15. 3. Further Information

The product/preparation is registered in the following national inventories:

EINECS (EU), TSCA (US), AICS (AUS), DSL/NDSL (CA), PICCS (PH), KECL (KR), ENCS (JP), IECSC (CN)

EC. REACH, Annex XIV, Candidate List of Substances of very High Concern (SVHC): not regulated / not applicable

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.