

According to regulation (EC) No. 1907/2006 (REACH)

Revised	d edition: 24.01.2017	Version: 2	Page Printed: 2	20.02.2	1 020	
1.		ixture and of the Company/Undertaking				
1. 1.	Product Identifier		-			
	Product Name:	Fluorescent Pigment Brick Red				
	Article No.:	K56300				
1. 2.	Relevant identified Uses of the Substance or	r Mixture and Uses advised against				
	Identified uses:	Pigment				
	Uses advised against:					
1. 3.	Details of the Supplier of the Safety Data Sheet (Producer/Importer)					
	Company:	Interlabshop BV				
	Address:	Lage Brink 23, 7317BD Apeldoorn, The Net	therlands			
	Tel./Fax.:	+3155 521 5016				
	Internet:	www.labshop.nl				
	EMail:	labshop@labshop.nl				
	Importer:					
1. 4.	Emergency No.					
	Emergency No.:	112 / 088 755 8000 (Mon-Fri 24/7)				
1. 4. 2	Poison Center:					
2.	Hazards Identification					
2. 1.	Classification of the Substance or Mixture					
	Classification according to Regulation					
	(EC) No. 1272/2008 (CLP/GHS)	This product does not require classification hazardous according to CLP/GHS.	and labelling	g as		
	Possible Environmental Effects:					
2. 2.	Label Elements					
	Classification according to Regulation					
	(EC) No. 1272/2008 (CLP/GHS)	This product does not require classification hazardous according to CLP/GHS.	and labelling	g as		
	Hazard designation:					
	Signal word:					
	<i>Hazard designation:</i> EUH208	May produce an allergic reaction.				
	Safety designation:					
	P243 P261 P262 P270 P271	Take precautionary measures against static Avoid breathing dust/ fume/ gas/ mist/ vapo Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this Use only outdoors or in a well-ventilated are	rs/ spray. product.			
		Avoid release to the environment.	next	page:	2	



According to regulation (EC) No. 1907/2006 (REACH)

			Page 2
Revise	d edition: 24.01.2017	Version: 2	Printed: 20.02.2020
	P273 P281 P285 P391		e equipment as required. ventilation wear respiratory protection.
	Hazardous components for labelli		
2. 3.	Other Hazards	-	e: can cause allergic reactions.
3.	Composition/Information on	Ingredients	
3. 1.	Substance	-	
3. 2.	Mixture		
		This produkt is a mixtu	re.
	Chemical Characterization:		
	Information on Components / Haz Ingredients:	ardous	
	Formaldehyde (H301-311-314-31 REACH Reg.No. 01-2119488953-		 CAS-Nr: 50-00-0 EINECS-Nr: 200-001-8 EC-Nr: 605-001-00-5
	Additional information:		
4.	First Aid Measures		
4. 1.	Description of the First Aid Measures		
	General information:		
		Avoid contact with eyes	s, skin and clothes.
	After inhalation:		
		Supply fresh air and se	eek medical advice in case of complaints.
	After skin contact:		
		Remove contaminated	-
		wash with soap and rif	nse with plenty of water.
	After eye contact:	Rinse open eyes with p medical help.	plenty of water. In case of discomfort seek
	After ingestion:		
		Rinse mouth thorough vomiting. Consult phys	ly with plenty of water. Do not induce ician immediately.
4. 2.	Most important Symptoms and Effects	, both Acute and Delayed	
	Symptoms:	No further information a	available.
	Effects:		
		No further information a	available.
4. 3.	Indication of any Immediate Medical A	ttention and special Treatment nee	ded
	Treatment:		
		Treat symptomatically.	

According to regulation (EC) No. 1907/2006 (REACH)

Labshop Chemicals Restoration Art Supplies

_ .			Page 3
Revise	d edition: 24.01.2017	Version: 2	Printed: 20.02.2020
-	Fire-Fighting Measures		
5. 1.	Extinguishing Media		
	Suitable extinguishing media:	Foam, carbon dioxide, extinguis	hing nowder water water mist
	Unquitable autinguishing madia:		
	Unsuitable extinguishing media:	None known.	
5. 2.	Special Hazards arising from the Substa	nce or Mixture	
	Special hazards:		
		Dust can form explosive mixture	es with air.
		In case of fire: formation of toxic	fumes.
5. 3.	Advice for Firefighters		
	Protective equipment:		
		Wear self-contained respiratory	protective device.
	Further information:		, , , , , , , , , , , , , , , , , , ,
		Avoid contamination of sewage ground water.	system, open water ways and
6.	Accidential Release Measures		
6. 1.	Personal Precautions, Protective Equipr	nent and Emergency Procedures	
•••••	Personal precautions:		
		Avoid contact with skin and eyes Wear protective clothing.	s. Do not ingest or inhale.
6. 2.	Environmental Precautions		
	Environmental precautions:		
		Prevent contamination of soil, di	rains and surface waters.
6. 3.	Methods and Material for Containment a	nd Cleaning Up	
	Methods and material:		
		Take up mechanically and colled disposal. Avoid dust formation.	ct in suitable containers for
6. 4.	Reference to other Sections		
••••		See Section 13 for information c	on disposal.
		Protective clothing, see Section	8.
7.	Handling and Storage		
7. 1.	Precautions for Safe Handling		
	Instructions on safe handling:		
		The usual precautionary measu handling chemicals. Avoid formation of dust.	res are to be adhered to when
	Hugionia magaziraa		
7 0	Hygienic measures:	ny Incompatibilition	
7. 2.	Conditions for Safe Storage, including a	ny incompatibilities	
	Storage conditions:	Store in tightly sealed containers	s in a dry room
		Protect against overheating.	
		5 5	next page:

According to regulation (EC) No. 1907/2006 (REACH)

Labshop Chemicals Restoration Art Supplies

			Page		4
Revise	d edition: 24.01.2017 Requirements for storage areas and	Version: 2	Printed:	20.02.20)20
	containers:				
	Information on fire and explosion protection:				
		Take measures to prevent electrostati Do not store together with: oxidants.	ic discharge.		
	Storage class:				
	Further Information:				
		When the product is applied at higher is released. Provide adequate ventilat		ormaldehy	/de
7. 3.	Specific End Use(s)				
	Further information:				
8.	Exposure Controls/Personal Prot	tection			
8. 1.	Parameters to be Controlled				
	Parameters to be controlled (DE):				
		Formaldehyde (CAS 50-00-0), TWA: (0.3 ppm, 0.37 m	ng/m3; 2 (I,)
	Parameters to be controlled:				
		Formaldehyde (CAS 50-00-0), TWA/S mg/m3; skin (A); 0.3 ppm, 0.38 mg/m mg/m3 (BE); TWA: 0.3 ppm, 0.37 mg/ mg/m3; Ceiling: 1 ppm, 1.2 mg/m3 (Fi	3 (BE); Ceiling: m3; STEL: 1 pp	0.3 ppm, (
		Formaldehyde (CAS 50-00-0), TWA: (ppm, 1.2 mg/m3; Ceiling: 0.6 ppm, 0.8 ppm, 2.5 mg/m3 (IR); TWA: 0.5 ppm, 1.8 mg/m3; Ceiling: 1 ppm, 1.2 mg/m3 (PT); STEL: 0.3 ppm, 0.37 mg/m3 (ES	3 mg/m3 (IS); T 0.6 mg/m3; STE 3 (NO); Ceiling:	NA/STEL: EL: 1.5 ppi	2
		Formaldehyde (CAS 50-00-0), LLV: 0. 0.6 ppm, 0.74 mg/m3 (SE); TWA: 0.3 ppm, 0.74 mg/m3 (CH); TWA: 2 ppm, 2.5 mg/m3 (GB)	ppm, 0.37 mg/n	n3; STEL:	0.6
	Derived No-Effect Level (DNEL):				
	Predicted No-Effect Concentration (PNEC):				
	Additional Information:				
8. 2.	Exposure Controls				
	Technical protective measures:	Provide adequate ventilation.			
	Personal Protection				
	General protective measures:	Do not inhale dust. Do not eat, drink o		vorking.	
		Wash hands before breaks and at the	end of work.		
	Respiratory protection:	Dust mask.			
	Hand protection:				
		Suitable protective gloves recommend	<i>ded, e.g. glove r</i> ne	<i>naterial:</i> xt page:	5



According to regulation (EC) No. 1907/2006 (REACH)

Auto-ignition temperature:

K56300 Fluorescent Pigment Brick Red

. .			Page	5
Revise	d edition: 24.01.2017	Version: 2 nitrile rubber (NBR).	Printed:	20.02.2020
	Protective glove material:			
	-			
	Eye protection:	Safety glasses with protective s	hields (EN 166).	
	Body protection:			
		Protective clothing.		
	Environmental precautions:			
9.	Physical and Chemical Prop	perties		
9. 1.	Information on Basic Physical and Ch	emical Properties		
	Form:	powder		
	Color:	orange red		
	Odor:	neutral		
	Odor threshold:			
		No information available.		
	pH-Value:	5 - 8		
	Melting temperature:			
	- ,	not applicable		
	Boiling temperature:			
		not applicable		
	Flash point:			
		not applicable		
	Evaporation rate:	not applicable		
	Flammability (solid, gas):	not applicable		
	Flattinability (Solid, 985).	not applicable		
	Upper explosion limit:			
		no information available		
	Lower explosion limit:			
		no information available		
	Vapor pressure:			
		not applicable		
	Vapor density:	No information available.		
	Demother			
	Density:	1.38 g/ml		
	Solubility in water:	insoluble		
	Coefficient of variation (n- Octanol/Water):			
		not applicable		
	Auto-ignition temperature:			

6


Revised edition: 24.01.2017

K56300

Acute Toxicity

According to regulation (EC) No. 1907/2006 (REACH)





	Oxidizing properties:	
		no information available
	Bulk density:	
9. 2.		not determined
9. 2.	Further Information	
	Solubility in solvents:	
	Viscosity, kinematic:	
	Burning class:	
	Solvent content:	
	Solid content:	
	Particle size:	
	Other information:	
10.	Stability and Reactivity	
10.1.	Reactivity	
		No information available.
10.2.	Chomical Stability	
10.2.	Chemical Stability	Stable if used according to specifications
		Stable if used according to specifications.
10.3.	Possibility of Hazardous Reactions	Stable if used according to specifications. Hazardous polymerisation will not occur.
10.3.	Possibility of Hazardous Reactions	
10.3.	Possibility of Hazardous Reactions Conditions to Avoid	
10.3.	Possibility of Hazardous Reactions Conditions to Avoid	Hazardous polymerisation will not occur. Avoid dusting near sources of ignition. Avoid heat.
10.3. 10.4.	Possibility of Hazardous Reactions Conditions to Avoid Conditions to avoid: Thermal decomposition:	Hazardous polymerisation will not occur.
10.3.	Possibility of Hazardous Reactions Conditions to Avoid Conditions to avoid:	Hazardous polymerisation will not occur. Avoid dusting near sources of ignition. Avoid heat. Avoid heat.
10.3. 10.4. 10.5.	Possibility of Hazardous Reactions Conditions to Avoid Conditions to avoid: Thermal decomposition: Imcompatible Materials	Hazardous polymerisation will not occur. Avoid dusting near sources of ignition. Avoid heat.
10.3. 10.4.	Possibility of Hazardous Reactions Conditions to Avoid Conditions to avoid: Thermal decomposition:	Hazardous polymerisation will not occur. Avoid dusting near sources of ignition. Avoid heat. Avoid heat.
10.3. 10.4. 10.5.	Possibility of Hazardous Reactions Conditions to Avoid Conditions to avoid: Thermal decomposition: Imcompatible Materials	Hazardous polymerisation will not occur. Avoid dusting near sources of ignition. Avoid heat. Avoid heat. Strong acids, strong bases and strong oxidizing agents.
10.3. 10.4. 10.5. 10.6.	Possibility of Hazardous Reactions Conditions to Avoid Conditions to avoid: Thermal decomposition: Imcompatible Materials Hazardous Decomposition Products	Hazardous polymerisation will not occur. Avoid dusting near sources of ignition. Avoid heat. Avoid heat. Strong acids, strong bases and strong oxidizing agents.

Viscosity, dynamic:

Explosive properties:

Decomposition temperature:

6



According to regulation (EC) No. 1907/2006 (REACH)

Revise	d edition: 24.01.2017	Version: 2	Page Printed:	20.02.20	7 020
	LD50, oral:				
		Formaldehyde: 600 mg/kg (rat)			
	LD50, dermal:				
		Formaldehyde: 270 mg/kg (rabbit)			
	LC50, inhalation:	Formaldehyde: 0.578 mg/l (4h; rat)			
	Primary effects				
	Irritant effect on skin:				
	innan choci on skin.	No information available			
	Irritant effect on eyes:				
		Irritating to eyes.			
	Inhalation:				
		No information available.			
	Ingestion:	No information available			
	Sanaitization	No mornation available			
	Sensitization:	No relevant data found.			
	Mutagenicity:				
	,	No relevant data found.			
	Reproductive toxicity:				
		No information available.			
	Carcinogenicity:				
	To an to an aris that	Formaldehyde: Carc. 1B (EC)			
	Teratogenicity:	No information available.			
	Specific target organ toxicity (STOT):				
		No relevant data found.			
	Additional toxicological information:				
		No information available.			
12.	Ecological Information				
12. 1.	Aquatic Toxicity				
	Fish toxicity:	Formoldobydo: 1 CEO: 22 6 25 7 mg// fla	w through	22 20 7	,
		Formaldehyde: LC50: 22.6 - 25.7 mg/l flo mg/l static (96, Pimephales promelas); 1 Lepomis macrochirus); 41 mg/l static (96 0.032 - 0.226 mg/l flow-through, 100 - 13 Oncorhynchus mykiss)	510 µg/l stati h Brachydan	c (96h, io rerio);	
	Daphnia toxicity:				
		Formaldehyde: LC50: 2 mg/l (48h; Daphr 18 mg/l static (48h; Daphnia magna)	nia magna); I	EC50: 11.	3-
	Bacteria toxicity:				
	Algae toxicity:		no	xt page:	8
			ne	ni paye.	0



According to regulation (EC) No. 1907/2006 (REACH)

Revise	d edition: 24.01.2017	Version: 2	Page 8 Printed: 20.02.2020
12. 2.	Persistency and Degradability		
		No information available.	
12. 3.	Bioaccumulation		
		Formaldehyde: logPOW 0.35	
12. 4.	Mobility		
40.5		No information available.	
12. 5.	Results of PBT- und vPvP Assessment	No data available.	
12. 6.	Other Adverse Effects		
	Water hazard class:		
	Water Hazard Glass.	1, slightly hazardous (German Re	gulation; Self-assessment).
	Behaviour in sewage systems:		- ,
	Further ecological effects:		
		No ecological problems expected.	
	AOX Value:		
13.	Disposal Considerations		
13. 1.	Waste Treatment Methods		
	Product:		
		In accordance with current regula incineration plant.	tions, product may be taken to an
	European Waste Code (EWC):		
	Uncleaned packaging:		
		Contaminated packaging must be	disposed like the substance.
	Waste Code No.:		
14.	Transport Information		
14. 1.	UN Number		
	ADR, IMDG, IATA		
14. 2.	UN Proper Shipping Name		
	ADR/RID:		
		No hazardous goods according to	ADR (land transportation).
	IMDG/IATA:		
		No hazardous goods according to	IMDG.
14. 3.	Transport Hazard Classes		
	ADR Class:		
		not applicable	
	Hazard no.:		
	Classification code:		
	Tunnel restriction code:		
	IMDG Class (sea):		

According to regulation (EC) No. 1907/2006 (REACH)

K56300 Fluorescent Pigment Brick Red

			Page
Revised	d edition: 24.01.2017	Version: 2	Printed: 20.02.202
	Hazard no.:		
	EmS No.:		
	IATA Class:		
	Hazard no.:		
14. 4.	Packaging Group		
	ADR/RID:		
		not applicable	
	IMDG:		
	IATA:		
14. 5.	Environmental Hazards		
		None	
14. 6.	Special Precautions for User	Not classified as a dangerous	good under transport regulations.
14. 7.	Transportation in Bulk according to A	nnex II of MARPOL 73/78 and IBC-Code	
14. 8.	Further Information		
5.	Regulatory Information		
5. 1.	Safety, Health and Environmental Reg	ulations/Legislation specific for the Substa	nce or Mixture
	Water hazard class:		
		1, slightly hazardous for water	[.] (German Regulation)
	Local regulations on chemical ac	cidents:	
	Employment restrictions:		
	Restriction and prohibition of app	lication:	
		EC. REACH, Section XVII, Re Placing on the Market and Use Preparations and Articles: not	e of Certain Dangerous Substances
	Technical instructions on air qual	ity:	
5. 2.	Chemical Safety Assessment		
		No information available.	
5.3.	Further Information	- , , , , , , , ,	
		The product/preparation is reg inventories:	vistered in the following national
		EINECS (EU), TSCA (US), AI LECS (KR), MITI/ENCS (JP),	CS (AUS), DSL (CA), PICCS (PH), IECSC (CN), NZIoC (NZ)
		High Concern (SVHC): not reg	
		Formaldehyde (CAS 50-00-0). (Diseases caused by formalde	
16.	Other Information	This product should be stored	, handled and used in accordance
		with good hygiene practices a	nd in conformity with any legal

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be

Labshop



According to regulation (EC) No. 1907/2006 (REACH)

K56300 Fluorescent Pigment Brick Red

Revised edition: 24.01.2017

Version: 2

Page 10

Printed: 20.02.2020

therefore not be construed as guaranteeing specific properties.