According to regulation (EC) No. 1907/2006 (REACH)



K2102 Cadmium Yellow No. 2, very light

Page 1

Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023

1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Cadmium Yellow No. 2, very light

Article No.: K2102

UFI: --

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

To dye plastics, varnishes and cement.

Production of ceramic coating suited for firing and decor

preparation for glass and ceramic.

Uses advised against:

Not for cosmetics, medicine, tattoo inks

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company:

Interlabshop BV

labshop@labshop.nl

Address: Lage Brink 23, 7317BD Apeldoorn, The Netherlands

Tel./Fax.: +3155 521 5016

Internet:

www.labshop.nl

Importer:

1. 4. Emergency No.

Emergency No. 112 / 088 755 8000 (Mon-Fri 24/7)

Emergency No.:

1. 4. 2 Poison Center:

2. Hazards Identification

2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as

hazardous according to CLP/GHS.

Possible Environmental Effects:

2. 2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as

hazardous according to CLP/GHS.

Hazard designation:

Signal word:

Hazard designation:

Safety designation:

P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

According to regulation (EC) No. 1907/2006 (REACH)



K2102 Cadmium Yellow No. 2, very light

Page 2

Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023

Hazardous components for labelling:

2. 3. Other Hazards

No information available.

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

Chemical Characterization: Inorganic pigment, inorganic salt Cadmium zinc sulphide yellow

Information on Components / Hazardous

Ingredients:

Cadmium zinc sulfide yellow, Pigment Yellow 35, 50 - 100 %

C.I. 77205

CAS-Nr: 8048-07-5 EINECS-Nr: 232-466-8

EC-Nr:

Additional information:

4. First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Do not leave affected persons unattended.

After inhalation:

In case of unconsciousness place patient stable in side position for

transportation.
Get medical help.

Consult physician if symptoms persist.

After skin contact:

Wash with soap and rinse with plenty of water.

Remove contaminated clothing.

After eye contact:

Rinse open eye for several minutes under running water. Should

irritation continue, seek medical advice.

Remove contact lens. Protect unharmed eye.

After ingestion:

Rinse mouth thoroughly with plenty of water and drink plenty of

water. Consult a physician.

Never give anything by mouth to an unconscious person.

Do not give milk or alcohol to drink.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

No further information available.

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

According to regulation (EC) No. 1907/2006 (REACH)



Cadmium Yellow No. 2, very light K2102

3 Page

Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023

> First-aid measures must be specified together with the responsible physician for industrial medicine.

5. **Fire-Fighting Measures**

5. 1. **Extinguishing Media**

Suitable extinguishing media:

Use extinguishing media for surrounding fire.

Unsuitable extinguishing media:

None known.

5. 2. Special Hazards arising from the Substance or Mixture

Special hazards:

Do not let extinguishing water enter the sewerage system or water

courses.

5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Collect contaminated extinguishing water and debris separately;

avoid contamination of sewage system.

Contaminated extinguishing water and debris should be disposed

of according to local regulations.

6. Accidential Release Measures

6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear appropriate protective equipment. Keep spectators away.

Avoid formation of dust. Ensure adequate ventilation.

6. 2. **Environmental Precautions**

Environmental precautions:

Prevent contamination of soils, drains and surface water.

Contact local authorities if product pollutes soil or vegetation.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Take up mechanically and collect in suitable containers for disposal. Avoid formation of dust and static discharges. Prevent from getting into sewage system. Wear protective gear and self-

contained breathing apparatus.

6. 4. Reference to other Sections

Protective clothing, see Section 8.

7. Handling and Storage

7. 1. **Precautions for Safe Handling**

Instructions on safe handling:

Avoid formation of dust. Do not inhale dust.

Wear adequate protective clothing (see para. 8).

According to regulation (EC) No. 1907/2006 (REACH)



K2102 Cadmium Yellow No. 2, very light

Page 4

Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023

Hygienic measures:

Do not eat or drink during work. Do not smoke.

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and well ventilated

location.

Do not store together with strong acids and oxidants.

Requirements for storage areas and

containers:

Electrical installation/working materials must comply with the

technological safety standards.

Information on fire and explosion

protection:

Avoid dust formation.

Provide adequate exhaust ventilation at places where dust is

formed.

Storage class:

13; Non combustible solids (TRGS 510)

Further Information:

Store in a dry place.

No decomposition if used and stored according to specifications.

7. 3. Specific End Use(s)

Further information:

The technical guidelines for the application of this product/mixture

should be followed.

8. Exposure Controls/Personal Protection

8. 1. Parameters to be Controlled

Does not contain substances with occupational exposure limits.

Parameters to be controlled (DE):

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration

(PNEC):

Additional Information:

8. 2. Exposure Controls

Technical protective measures:

Technical protective measures have priority to personal protective

measures.

Personal Protection

General protective measures:

Wear adequate protective clothing.

Wash hands and face at the end of work. Carry out work under a

fume hood. Do inhale product.

According to regulation (EC) No. 1907/2006 (REACH)



K2102 Cadmium Yellow No. 2, very light

Pa	ge	5

Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023

Respiratory protection:

None required under normal operating conditions.

Hand protection:

In case of prolonged contact:

Recommended

Protective glove material:

Eye protection:

Safety glasses (EN 166)

Body protection:

Protective clothing.

Environmental precautions:

Avoid contamination of sewage system, open water ways and

ground water.

9. Physical and Chemical Properties

9. 1. Information on Basic Physical and Chemical Properties

Form: powder

Color: bright yellow

Odor: odorless

Odor threshold:

no information available

pH-Value: 7 (5 % suspension)

Melting temperature:

not available

Boiling temperature:

not available

Flash point:

not applicable

Evaporation rate:

not applicable

Flammability (solid, gas):

not applicable

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not determined

Vapor density:

No information available.

Density: 3.5 - 5.5 g/cm3

According to regulation (EC) No. 1907/2006 (REACH)



K2102 Cadmium Yellow No. 2, very light

Page 6 Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023 Solubility in water: insoluble Coefficient of variation (n-Octanol/Water): not applicable Auto-ignition temperature: No information available. Decomposition temperature: > 300°C Viscosity, dynamic: not applicable Explosive properties: not available Oxidizing properties: no information available Bulk density: not determined 9. 2. **Further Information** Solubility in solvents: Viscosity, kinematic: Burning class: Solvent content: Solid content: Particle size: No data available. Other information: 10. Stability and Reactivity 10.1. Reactivity Stable if used according to specifications. 10.2. **Chemical Stability** No decomposition if used according to specifications. 10.3. **Possibility of Hazardous Reactions** Reacts with acids: development of hydrogen sulfide. Reacts with strong oxidants. 10.4. **Conditions to Avoid** Conditions to avoid: No information available. Thermal decomposition: No data available. 10.5. **Imcompatible Materials** Strong acids and strong oxidizing agents.

According to regulation (EC) No. 1907/2006 (REACH)



7

Cadmium Yellow No. 2, very light K2102

Page Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023 10.6. **Hazardous Decomposition Products** None if handled according to specifications. 10.7. **Further Information** 11. **Toxicological Information** 11. 1. Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008 Acute Toxicity > 5000 mg/kg LD50, oral: LD50, dermal: No information available. LC50, inhalation: No information available. Primary effects Irritant effect on skin: Non irritating Irritant effect on eyes: Non-irritating to eyes Inhalation: Ingestion: Sensitization: No relevant data found. Mutagenicity:

Reproductive toxicity:

No relevant data found.

No relevant data found.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No relevant data found.

Aspiration hazard

No information available.

11. 2. Information on other Hazards

No further information available.

12. **Ecological Information**

12. 1. **Aquatic Toxicity**

Fish toxicity:

No negative effects.

Daphnia toxicity:

No negative effects.

According to regulation (EC) No. 1907/2006 (REACH)



K2102 Cadmium Yellow No. 2, very light

			Page 8		
Revise	d edition: 08.09.2020	Version: 2	Printed: 15.03.2023		
	Bacteria toxicity:	No negative effects.			
	Algae toxicity:	no negame encode.			
	Algae loxicity.	No negative effects.			
12. 2.	Persistency and Degradability	Inorganic substance. Biological degradability is not affected.			
12. 3.	Bioaccumulation				
		No bioaccumulation expected.			
12. 4.	Mobility	No information available.			
12. 5.	Results of PBT- und vPvP Assessment	No Illioillation available.			
12. 3.	Results of FBT- und vi vi Assessment	This product is neither a PBT or vPvB substance nor does it contain a PBT or vPvB substance.			
12. 6.	Endocrine Disrupting Properties				
		No data available.			
12. 7.	Other Adverse Effects				
	Water hazard class:				
		1, slightly hazardous (German Re	egulation; Self-assessment).		
	Behaviour in sewage systems:				
	Further ecological effects:				
		No ecological data available.			
	AOX Value:				
13.	Disposal Considerations				
13. 1.	Waste Treatment Methods				
	Product:				
		Dispose of according to official na	ational and local regulations.		
	European Waste Code (EWC):				
	Uncleaned packaging:				
		Empty containers can be landfille compliance with the Environment Regulations 1991.			
	Waste Code No.:				
14.	Transport Information				
14. 1.	UN Number				
	ADR, IMDG, IATA				
14. 2.	UN Proper Shipping Name				
	ADR/RID:				
		No hazardous goods according to transportation).	o ADR / DOT (US) (land		
	IMDG/IATA:				
		Not hazardous goods			

According to regulation (EC) No. 1907/2006 (REACH)



K2102 Cadmium Yellow No. 2, very light

Page 9

Revised edition: 08.09.2020 Version: 2 Printed: 15.03.2023 14. 3. **Transport Hazard Classes** ADR Class: not applicable Hazard no .: Classification code: Tunnel restriction code: IMDG Class (sea): not applicable Hazard no.: EmS No.: IATA Class: not applicable Hazard no.: 14. 4. **Packaging Group** ADR/RID: not applicable IMDG: IATA: 14. 5. **Environmental Hazards** None 14. 6. **Special Precautions for User** Not classified as a dangerous good under transport regulations. 14.7. Maritime Transport in Bulk according to IMO Instruments not applicable

14. 8.

15. Regulatory Information

Further Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (German Regulation)

Local regulations on chemical accidents:

EC-Regulation 96/82 does not apply (2003).

Employment restrictions:

Restriction and prohibition of application:

EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles, Registered no. 23 (Cadmium oxide) The use of cadmium in pigments in certain polymers, as well as in

aqueous- and non-aqueous based paints is restricted.

Technical instructions on air quality:

next page: 10

According to regulation (EC) No. 1907/2006 (REACH)



Cadmium Yellow No. 2, very light K2102

			Page	10	
Revised edition: 08.09.2020		Version: 2	Printed:	15.03.2023	
15. 2.	Chemical Safety Assessment				
		EC SVHC-List: This product does not contain a substance in the candidate list for substances of very high concern (REACH Regulation (EC) 1907/2006, Article 57)			
15. 3.	Further Information				
		This product is not a ozone-depleting substance (EC Reg. 2037/2000) and not a persistent organic pollutant (POP) (EC Reg. 850/2004).			
16.	Other Information				

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.